



PROFESSIONAL RELATIVITIES STUDY

RESOURCE MATERIAL H

Total Times report

*The results of the total times analyses (Round 1,2 & 3)
which calculated the total time (ie total hours worked each
year or each week) for each specialty group, assuming the
Consensus Groups item time estimates
(original and adjusted).*

Part 2

Round 2 (with adjust time) Filtered & Unfiltered

prepared for

Medicare Schedule Review Board
December 2000

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:06:37 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

- - Description of Subpopulations - -

Summaries of PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)
 By levels of SCIN34 SC DIVISION = 32 + 4 ADDITIONAL CATS

Variable	Value	Label	Mean	Std Dev	Cases
For Entire Population					
SCIN34	1	GENERAL PRACTICE	34.6281	17.8945	18170
SCIN34	2	FACIO-MAX SURGERY	11.3448	3.8047	58
SCIN34	3	OBSTETRICS & GYNAECO	37.8957	19.1660	767
SCIN34	4	GENERAL SURGERY	30.1423	14.9181	843
SCIN34	5	CARDIO-THORACIC SURG	22.6098	11.9441	82
SCIN34	6	NEUROSURGERY	19.8736	9.0256	87
SCIN34	7	ORTHOPAEDIC, HAND SU	28.3051	12.3153	554
SCIN34	8	PAEDIATRIC SURG	21.2353	12.5168	34
SCIN34	9	PLASTIC, HAND SURG,	38.2708	17.2542	192
SCIN34	10	UROLOGY	36.4141	15.1316	198
SCIN34	11	VASCULAR SURG	27.7660	14.2809	94
SCIN34	12	OPHTHALMOLOGY	45.7024	22.1767	588
SCIN34	13	ENT - OHN	62.7143	30.7981	273
SCIN34	14	ANAESTHESIA, HYPERBA	32.6589	18.3823	1425
SCIN34	15	DERMATOLOGY	58.6680	27.7341	256
SCIN34	16	IVF	66.7571	35.8954	70
SCIN34	17	GENERAL MEDICINE	24.8298	14.6090	652
SCIN34	18	CARDIOLOGY	46.6173	26.2251	473
SCIN34	19	RENAL MEDICINE	24.7222	16.7830	72
SCIN34	20	GASTROENTEROLOGY	37.1677	18.7863	310
SCIN34	21	NEUROLOGY	27.2884	15.6859	215
SCIN34	22	PAEDIATRIC MEDICINE	26.2134	15.6868	478
SCIN34	23	REHABILITATION MEDIC	14.2553	8.1360	47
SCIN34	24	RHEUMATOLOGY	33.0965	17.5887	114
SCIN34	25	THORACIC MEDICINE	27.9626	17.3228	187
SCIN34	26	PSYCHIATRY	29.8773	15.1648	1320
SCIN34	27	RADIATION ONCOLOGY	21.0000	10.6771	102
SCIN34	28	CLINICAL HAEMATOLOGY	20.9444	13.1528	90
SCIN34	29	MEDICAL ONCOLOGY	25.5875	17.3042	80
SCIN34	30	INTENSIVE CARE	22.2667	13.5091	75
SCIN34	31	NUCLEAR MEDICINE	26.5049	13.1051	103
SCIN34	32	IMMUNOLOGY	31.0189	24.4434	53
SCIN34	33	EMERGENCY MEDICINE	11.6087	5.0788	23
SCIN34	34	ASSISTANT	9.2857	3.9881	7
SCIN34	35	NON-SPEC SURGEONS	11.8571	4.8156	196
SCIN34	36	NON-SPEC ANAESTHESIO	28.8378	17.4447	111

Total Cases = 28399

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:06:45 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .53 seconds CPU time; 6.37 seconds elapsed.

```
262 0 TEMPORARY
263 0 SELECT IF      (SCIN34 EQ 1)
264 0 /*
265 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   GPs
266 0 /*
267 0 FREQUENCIES     VARIABLES=PERWEEK/
268 0                  FORMAT=CONDENSE/
269 0                  HISTOGRAM=INCREMENT (5)/
270 0                  STATISTICS=MEAN STDDEV
271 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:06:48 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	345	2	2	30.00	345	2	44	54.00	221	1	84
7.00	323	2	4	31.00	391	2	46	55.00	196	1	85
8.00	321	2	5	32.00	362	2	48	56.00	200	1	86
9.00	327	2	7	33.00	340	2	50	57.00	169	1	87
10.00	350	2	9	34.00	330	2	52	58.00	168	1	88
11.00	315	2	11	35.00	356	2	54	59.00	195	1	89
12.00	302	2	13	36.00	358	2	56	60.00	168	1	90
13.00	297	2	14	37.00	342	2	58	61.00	144	1	91
14.00	303	2	16	38.00	338	2	60	62.00	134	1	92
15.00	290	2	17	39.00	341	2	61	63.00	157	1	93
16.00	329	2	19	40.00	324	2	63	64.00	112	1	93
17.00	318	2	21	41.00	340	2	65	65.00	131	1	94
18.00	314	2	23	42.00	340	2	67	66.00	126	1	95
19.00	322	2	25	43.00	278	2	69	67.00	129	1	95
20.00	340	2	26	44.00	309	2	70	68.00	124	1	96
21.00	331	2	28	45.00	301	2	72	69.00	115	1	97
22.00	292	2	30	46.00	286	2	73	70.00	90	0	97
23.00	288	2	31	47.00	285	2	75	71.00	111	1	98
24.00	292	2	33	48.00	275	2	77	72.00	86	0	98
25.00	287	2	35	49.00	254	1	78	73.00	86	0	99
26.00	351	2	37	50.00	246	1	79	74.00	87	0	99
27.00	323	2	38	51.00	221	1	80	75.00	106	1	100
28.00	344	2	40	52.00	230	1	82	76.00	30	0	100
29.00	360	2	42	53.00	229	1	83				

Count Midpoint One symbol equals approximately 40.00 occurrences



8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:06:49 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Mean 34.628 Std dev 17.895

Valid cases 18170 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:06:49 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .51 seconds CPU time; 3.31 seconds elapsed.

```
272 0 TEMPORARY
273 0 SELECT IF          (SCIN34 EQ 2)
274 0 /*
275 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   FACIO-MAX SURGEONS
276 0 /*
277 0 FREQUENCIES          VARIABLES=PERWEEK/
278 0                      FORMAT=CONDENSE/
279 0                      HISTOGRAM=INCREMENT (5)/
280 0                      STATISTICS=MEAN STDDEV
281 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


Total Times Round 2 (with adjust time) - filtered

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:06:49 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	4	7	7	11.00	5	9	57	16.00	5	9	90
7.00	6	10	17	12.00	5	9	66	18.00	3	5	95
8.00	5	9	26	13.00	4	7	72	19.00	3	5	100
9.00	9	16	41	14.00	2	3	76				
10.00	4	7	48	15.00	3	5	81				

Count Midpoint One symbol equals approximately .60 occurrences



Mean 11.345 Std dev 3.805

Valid cases 58 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:06:50 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .22 seconds CPU time; .97 seconds elapsed.

```
282 0 TEMPORARY
283 0 SELECT IF          (SCIN34 EQ 3)
284 0 /*
285 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   OBSTETRICIANS & GYNAECOLOGISTS
286 0 /*
287 0 FREQUENCIES        VARIABLES=PERWEEK/
288 0                     FORMAT=CONDENSE/
289 0                     HISTOGRAM=INCREMENT (5)/
290 0                     STATISTICS=MEAN STDDEV
291 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:06:51 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	10	1	1	31.00	12	2	40	56.00	7	1	81
7.00	19	2	4	32.00	17	2	43	57.00	6	1	82
8.00	12	2	5	33.00	13	2	44	58.00	9	1	83
9.00	14	2	7	34.00	13	2	46	59.00	9	1	84
10.00	9	1	8	35.00	15	2	48	60.00	7	1	85
11.00	10	1	10	36.00	14	2	50	61.00	6	1	86
12.00	13	2	11	37.00	11	1	51	62.00	5	1	87
13.00	10	1	13	38.00	13	2	53	63.00	9	1	88
14.00	11	1	14	39.00	14	2	55	64.00	7	1	89
15.00	7	1	15	40.00	13	2	56	65.00	11	1	90
16.00	10	1	16	41.00	11	1	58	66.00	6	1	91
17.00	9	1	17	42.00	13	2	59	67.00	8	1	92
18.00	11	1	19	43.00	12	2	61	68.00	8	1	93
19.00	4	1	19	44.00	16	2	63	69.00	2	0	93
20.00	16	2	22	45.00	15	2	65	70.00	4	1	94
21.00	11	1	23	46.00	12	2	67	71.00	6	1	95
22.00	12	2	25	47.00	11	1	68	72.00	6	1	96
23.00	9	1	26	48.00	9	1	69	73.00	2	0	96
24.00	17	2	28	49.00	10	1	71	74.00	10	1	97
25.00	15	2	30	50.00	12	2	72	75.00	4	1	98
26.00	6	1	31	51.00	20	3	75	76.00	6	1	98
27.00	13	2	32	52.00	11	1	76	77.00	4	1	99
28.00	19	2	35	53.00	11	1	78	78.00	3	0	99
29.00	12	2	36	54.00	11	1	79	79.00	2	0	100
30.00	18	2	39	55.00	11	1	80	80.00	3	0	100


Count Midpoint One symbol equals approximately 1.50 occurrences

64	8.50	*****
51	13.50	*****
50	18.50	*****
64	23.50	*****
68	28.50	*****
70	33.50	*****
65	38.50	*****
67	43.50	*****
54	48.50	*****
64	53.50	*****
38	58.50	*****
38	63.50	*****
28	68.50	*****
28	73.50	*****

Total Times Round 2 (with adjust time) - filtered

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:06:52 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)



Mean 37.896 Std dev 19.166

Valid cases 767 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:06:52 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .26 seconds CPU time; 1.94 seconds elapsed.

```
292 0 TEMPORARY
293 0 SELECT IF          (SCIN34 EQ 4)
294 0 /*
295 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   GENERAL SURGEONS
296 0 /*
297 0 FREQUENCIES          VARIABLES=PERWEEK/
298 0                      FORMAT=CONDENSE/
299 0                      HISTOGRAM=INCREMENT (5)/
300 0                      STATISTICS=MEAN STDDEV
301 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:06:53 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	23	3	3	26.00	15	2	43	46.00	9	1	84
7.00	23	3	5	27.00	20	2	45	47.00	11	1	85
8.00	24	3	8	28.00	24	3	48	48.00	11	1	86
9.00	15	2	10	29.00	20	2	50	49.00	11	1	88
10.00	8	1	11	30.00	14	2	52	50.00	14	2	89
11.00	18	2	13	31.00	26	3	55	51.00	8	1	90
12.00	13	2	15	32.00	12	1	56	52.00	10	1	91
13.00	18	2	17	33.00	21	2	59	53.00	11	1	93
14.00	18	2	19	34.00	20	2	61	54.00	6	1	93
15.00	14	2	21	35.00	14	2	63	55.00	8	1	94
16.00	12	1	22	36.00	18	2	65	56.00	13	2	96
17.00	14	2	24	37.00	21	2	68	57.00	5	1	96
18.00	12	1	25	38.00	21	2	70	58.00	4	0	97
19.00	16	2	27	39.00	13	2	72	59.00	6	1	98
20.00	20	2	29	40.00	21	2	74	60.00	2	0	98
21.00	20	2	32	41.00	14	2	76	61.00	6	1	99
22.00	21	2	34	42.00	15	2	78	62.00	9	1	100
23.00	18	2	36	43.00	16	2	79	63.00	3	0	100
24.00	18	2	39	44.00	16	2	81				
25.00	20	2	41	45.00	10	1	83				

Count Midpoint One symbol equals approximately 2.00 occurrences



Mean 30.142 Std dev 14.918

Valid cases 843 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:06:54 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .27 seconds CPU time; 1.46 seconds elapsed.

```
302 0 TEMPORARY
303 0 SELECT IF          (SCIN34 EQ 5)
304 0 /*
305 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    CARDIO-THORACIC SURGEONS
306 0 /*
307 0 FREQUENCIES        VARIABLES=PERWEEK/
308 0                     FORMAT=CONDENSE/
309 0                     HISTOGRAM=INCREMENT (5)/
310 0                     STATISTICS=MEAN STDDEV
311 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:06:54 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	9	11	11	18.00	2	2	40	31.00	4	5	77
7.00	1	1	12	19.00	5	6	46	33.00	1	1	78
8.00	1	1	13	20.00	1	1	48	35.00	1	1	79
9.00	2	2	16	21.00	1	1	49	36.00	2	2	82
10.00	4	5	21	22.00	1	1	50	37.00	2	2	84
11.00	3	4	24	23.00	2	2	52	38.00	2	2	87
12.00	1	1	26	24.00	3	4	56	39.00	2	2	89
13.00	3	4	29	25.00	4	5	61	40.00	2	2	91
14.00	3	4	33	26.00	3	4	65	42.00	2	2	94
15.00	1	1	34	27.00	2	2	67	43.00	2	2	96
16.00	1	1	35	28.00	3	4	71	44.00	1	1	98
17.00	2	2	38	30.00	1	1	72	46.00	2	2	100

Count Midpoint One symbol equals approximately .40 occurrences



Mean 22.610 Std dev 11.944

Valid cases 82 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:06:56 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .25 seconds CPU time; 1.60 seconds elapsed.

```
312 0 TEMPORARY
313 0 SELECT IF          (SCIN34 EQ 6)
314 0 /*
315 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    NEUROSURGEONS
316 0 /*
317 0 FREQUENCIES          VARIABLES=PERWEEK/
318 0                      FORMAT=CONDENSE/
319 0                      HISTOGRAM=INCREMENT (5)/
320 0                      STATISTICS=MEAN STDDEV
321 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:06:56 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	4	5	5	17.00	1	1	41	29.00	5	6	84
7.00	2	2	7	18.00	3	3	45	30.00	3	3	87
8.00	2	2	9	19.00	7	8	53	31.00	1	1	89
9.00	3	3	13	20.00	6	7	60	34.00	3	3	92
10.00	5	6	18	22.00	5	6	66	35.00	2	2	94
11.00	3	3	22	23.00	1	1	67	36.00	1	1	95
12.00	2	2	24	24.00	1	1	68	37.00	1	1	97
13.00	4	5	29	25.00	2	2	70	38.00	1	1	98
14.00	5	6	34	26.00	5	6	76	39.00	2	2	100
15.00	4	5	39	27.00	1	1	77				
16.00	1	1	40	28.00	1	1	78				

Count Midpoint One symbol equals approximately .40 occurrences



Mean 19.874 Std dev 9.026

Valid cases 87 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:06:57 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .25 seconds CPU time; 1.09 seconds elapsed.

```
322 0 TEMPORARY
323 0 SELECT IF          (SCIN34 EQ 7)
324 0 /*
325 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   ORTHOPAEDIC SURGEONS
326 0 /*
327 0 FREQUENCIES        VARIABLES=PERWEEK/
328 0                    FORMAT=CONDENSE/
329 0                    HISTOGRAM=INCREMENT (5)/
330 0                    STATISTICS=MEAN STDDEV
331 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:06:57 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	15	3	3	23.00	19	3	36	40.00	11	2	83
7.00	10	2	5	24.00	15	3	39	41.00	13	2	85
8.00	6	1	6	25.00	17	3	42	42.00	9	2	87
9.00	4	1	6	26.00	21	4	46	43.00	7	1	88
10.00	8	1	8	27.00	13	2	48	44.00	4	1	89
11.00	9	2	9	28.00	20	4	52	45.00	6	1	90
12.00	12	2	12	29.00	12	2	54	46.00	4	1	91
13.00	9	2	13	30.00	14	3	56	47.00	2	0	91
14.00	12	2	15	31.00	16	3	59	48.00	11	2	93
15.00	15	3	18	32.00	16	3	62	49.00	6	1	94
16.00	14	3	21	33.00	17	3	65	50.00	7	1	95
17.00	12	2	23	34.00	17	3	68	51.00	4	1	96
18.00	10	2	25	35.00	17	3	71	52.00	6	1	97
19.00	8	1	26	36.00	17	3	75	53.00	3	1	98
20.00	13	2	28	37.00	14	3	77	54.00	7	1	99
21.00	11	2	30	38.00	10	2	79	55.00	3	1	100
22.00	14	3	33	39.00	12	2	81	56.00	2	0	100

Count Midpoint One symbol equals approximately 2.00 occurrences



Mean 28.305 Std dev 12.315

Valid cases 554 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:06:58 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .22 seconds CPU time; 1.38 seconds elapsed.

```
332 0 TEMPORARY
333 0 SELECT IF          (SCIN34 EQ 8)
334 0 /*
335 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    PAEDIATRIC SURGEONS
336 0 /*
337 0 FREQUENCIES        VARIABLES=PERWEEK/
338 0                      FORMAT=CONDENSE/
339 0                      HISTOGRAM=INCREMENT (5)/
340 0                      STATISTICS=MEAN STDDEV
341 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:06:59 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	1	3	3	16.00	3	9	53	33.00	1	3	82
7.00	2	6	9	20.00	2	6	59	34.00	1	3	85
8.00	2	6	15	21.00	2	6	65	40.00	1	3	88
10.00	2	6	21	26.00	2	6	71	41.00	1	3	91
12.00	2	6	26	27.00	1	3	74	42.00	1	3	94
13.00	3	9	35	29.00	1	3	76	48.00	1	3	97
15.00	3	9	44	30.00	1	3	79	52.00	1	3	100

Count Midpoint One symbol equals approximately .20 occurrences



Mean 21.235 Std dev 12.517

Valid cases 34 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:00 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .25 seconds CPU time; 1.28 seconds elapsed.

```
342 0 TEMPORARY
343 0 SELECT IF          (SCIN34 EQ 9)
344 0 /*
345 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    PLASTIC SURGEONS
346 0 /*
347 0 FREQUENCIES        VARIABLES=PERWEEK/
348 0                    FORMAT=CONDENSE/
349 0                    HISTOGRAM=INCREMENT (5)/
350 0                    STATISTICS=MEAN STDDEV
351 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:00 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	2	1	1	30.00	7	4	34	53.00	2	1	84
8.00	2	1	2	31.00	7	4	38	54.00	2	1	85
9.00	2	1	3	32.00	5	3	41	55.00	4	2	87
10.00	1	1	4	33.00	6	3	44	56.00	1	1	88
11.00	2	1	5	34.00	3	2	45	58.00	1	1	88
12.00	1	1	5	35.00	7	4	49	62.00	3	2	90
13.00	3	2	7	36.00	6	3	52	63.00	1	1	90
14.00	1	1	7	37.00	3	2	54	64.00	2	1	91
15.00	2	1	8	38.00	4	2	56	65.00	3	2	93
16.00	1	1	9	39.00	7	4	59	66.00	1	1	93
17.00	3	2	10	40.00	3	2	61	68.00	2	1	94
18.00	4	2	13	41.00	3	2	63	69.00	1	1	95
19.00	2	1	14	42.00	1	1	63	70.00	1	1	95
20.00	3	2	15	43.00	4	2	65	74.00	1	1	96
21.00	1	1	16	44.00	1	1	66	77.00	1	1	96
22.00	2	1	17	45.00	3	2	67	78.00	1	1	97
23.00	2	1	18	46.00	3	2	69	80.00	1	1	97
24.00	4	2	20	47.00	7	4	72	82.00	1	1	98
25.00	1	1	20	48.00	7	4	76	83.00	1	1	98
26.00	9	5	25	49.00	6	3	79	84.00	1	1	99
27.00	4	2	27	50.00	2	1	80	86.00	2	1	100
28.00	5	3	30	51.00	2	1	81				
29.00	2	1	31	52.00	3	2	83				


Count Midpoint One symbol equals approximately .60 occurrences

7	8.50	*****
9	13.50	*****
13	18.50	*****
10	23.50	*****
27	28.50	*****
28	33.50	*****
23	38.50	*****
12	43.50	*****
25	48.50	*****
13	53.50	*****
2	58.50	***
9	63.50	*****
5	68.50	*****
1	73.50	**
3	78.50	*****

Total Times Round 2 (with adjust time) - filtered

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:01 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)



Mean 38.271 Std dev 17.254

Valid cases 192 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:02 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .21 seconds CPU time; 1.55 seconds elapsed.

```
352 0 TEMPORARY
353 0 SELECT IF          (SCIN34 EQ 10)
354 0 /*
355 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    UROLOGISTS
356 0 /*
357 0 FREQUENCIES        VARIABLES=PERWEEK/
358 0                    FORMAT=CONDENSE/
359 0                    HISTOGRAM=INCREMENT (5)/
360 0                    STATISTICS=MEAN STDDEV
361 0 /*
```

There are 1,073,639,792 bytes of memory available.



Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:02 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	4	2	2	28.00	3	2	30	48.00	9	5	79
7.00	3	2	4	29.00	3	2	32	49.00	2	1	80
8.00	1	1	4	30.00	3	2	33	50.00	3	2	81
9.00	1	1	5	31.00	2	1	34	51.00	2	1	82
10.00	2	1	6	32.00	7	4	38	52.00	3	2	84
11.00	2	1	7	33.00	9	5	42	53.00	1	1	84
13.00	5	3	9	34.00	4	2	44	54.00	2	1	85
14.00	1	1	10	35.00	8	4	48	55.00	3	2	87
15.00	3	2	11	36.00	4	2	51	56.00	5	3	89
16.00	3	2	13	37.00	3	2	52	57.00	3	2	91
17.00	2	1	14	38.00	6	3	55	58.00	2	1	92
18.00	2	1	15	39.00	6	3	58	59.00	3	2	93
19.00	1	1	15	40.00	4	2	60	60.00	1	1	94
20.00	5	3	18	41.00	4	2	62	61.00	2	1	95
22.00	2	1	19	42.00	2	1	63	62.00	2	1	96
23.00	3	2	20	43.00	2	1	64	63.00	5	3	98
24.00	4	2	22	44.00	11	6	70	64.00	1	1	99
25.00	4	2	24	45.00	3	2	71	67.00	2	1	100
26.00	2	1	25	46.00	4	2	73				
27.00	7	4	29	47.00	2	1	74				

Count Midpoint One symbol equals approximately .60 occurrences



Mean 36.414 Std dev 15.132

Valid cases 198 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:04 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .28 seconds CPU time; 1.84 seconds elapsed.

```
362 0 TEMPORARY
363 0 SELECT IF          (SCIN34 EQ 11)
364 0 /*
365 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    VASCULAR SURGEONS
366 0 /*
367 0 FREQUENCIES        VARIABLES=PERWEEK/
368 0                     FORMAT=CONDENSE/
369 0                     HISTOGRAM=INCREMENT (5)/
370 0                     STATISTICS=MEAN STDDEV
371 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:04 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	1	1	1	22.00	3	3	41	40.00	2	2	80
7.00	3	3	4	23.00	3	3	45	41.00	2	2	82
8.00	2	2	6	24.00	3	3	48	42.00	1	1	83
9.00	2	2	9	25.00	1	1	49	43.00	1	1	84
10.00	2	2	11	26.00	2	2	51	44.00	1	1	85
12.00	2	2	13	27.00	2	2	53	46.00	1	1	86
13.00	3	3	16	28.00	7	7	61	47.00	2	2	88
14.00	1	1	17	29.00	4	4	65	48.00	1	1	89
15.00	3	3	20	31.00	4	4	69	50.00	1	1	90
16.00	5	5	26	32.00	2	2	71	51.00	3	3	94
17.00	1	1	27	33.00	1	1	72	55.00	1	1	95
18.00	3	3	30	36.00	1	1	73	58.00	1	1	96
19.00	3	3	33	37.00	1	1	74	59.00	1	1	97
20.00	2	2	35	38.00	1	1	76	60.00	1	1	98
21.00	3	3	38	39.00	2	2	78	61.00	2	2	100

Count Midpoint One symbol equals approximately .40 occurrences



Mean 27.766 Std dev 14.281

Valid cases 94 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:05 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .31 seconds CPU time; 1.23 seconds elapsed.

```
372 0 TEMPORARY
373 0 SELECT IF          (SCIN34 EQ 12)
374 0 /*
375 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   OPTHALMOLOGISTS
376 0 /*
377 0 FREQUENCIES        VARIABLES=PERWEEK/
378 0                    FORMAT=CONDENSE/
379 0                    HISTOGRAM=INCREMENT (5)/
380 0                    STATISTICS=MEAN STDDEV
381 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

Total Times Round 2 (with adjust time) - filtered

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:05 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1


PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	8	1	1	37.00	9	2	36	68.00	6	1	83
7.00	7	1	3	38.00	6	1	37	69.00	5	1	84
8.00	8	1	4	39.00	12	2	39	70.00	6	1	85
9.00	8	1	5	40.00	10	2	41	71.00	8	1	86
10.00	9	2	7	41.00	9	2	43	72.00	6	1	87
11.00	8	1	8	42.00	8	1	44	73.00	6	1	88
12.00	3	1	9	43.00	12	2	46	74.00	3	1	89
13.00	3	1	9	44.00	19	3	49	75.00	1	0	89
14.00	3	1	10	45.00	14	2	52	76.00	4	1	90
15.00	4	1	10	46.00	6	1	53	77.00	2	0	90
16.00	2	0	11	47.00	11	2	55	78.00	3	1	91
17.00	4	1	11	48.00	8	1	56	79.00	4	1	91
18.00	9	2	13	49.00	12	2	58	80.00	2	0	92
19.00	4	1	14	50.00	9	2	60	81.00	4	1	92
20.00	12	2	16	51.00	13	2	62	82.00	4	1	93
21.00	6	1	17	52.00	11	2	64	83.00	6	1	94
22.00	10	2	18	53.00	7	1	65	84.00	4	1	95
23.00	5	1	19	54.00	6	1	66	85.00	5	1	96
24.00	3	1	20	55.00	6	1	67	86.00	2	0	96
25.00	7	1	21	56.00	9	2	68	87.00	1	0	96
26.00	8	1	22	57.00	9	2	70	88.00	5	1	97
27.00	6	1	23	58.00	7	1	71	89.00	1	0	97
28.00	3	1	24	59.00	8	1	72	90.00	5	1	98
29.00	6	1	25	60.00	13	2	75	91.00	4	1	99
30.00	8	1	26	61.00	11	2	77	92.00	3	1	99
31.00	3	1	27	62.00	5	1	77	93.00	1	0	99
32.00	9	2	28	63.00	5	1	78	95.00	1	0	99
33.00	10	2	30	64.00	7	1	79	96.00	2	0	100
34.00	12	2	32	65.00	6	1	80	97.00	1	0	100
35.00	5	1	33	66.00	7	1	82				
36.00	12	2	35	67.00	3	1	82				

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:06 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Count Midpoint One symbol equals approximately 1.50 occurrences



Mean 45.702 Std dev 22.177

Valid cases 588 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:07 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .25 seconds CPU time; 2.14 seconds elapsed.

```
382 0 TEMPORARY
383 0 SELECT IF          (SCIN34 EQ 13)
384 0 /*
385 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR ENT SURGEONS
386 0 /*
387 0 FREQUENCIES        VARIABLES=PERWEEK/
388 0                     FORMAT=CONDENSE/
389 0                     HISTOGRAM=INCREMENT (5)/
390 0                     STATISTICS=MEAN STDDEV
391 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

Total Times Round 2 (with adjust time) - filtered

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:08 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1



PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	2	1	1	47.00	2	1	31	86.00	1	0	76
7.00	2	1	1	48.00	3	1	32	87.00	8	3	79
8.00	4	1	3	49.00	7	3	34	88.00	1	0	79
10.00	4	1	4	50.00	2	1	35	89.00	1	0	79
11.00	4	1	6	51.00	3	1	36	91.00	1	0	80
12.00	2	1	7	52.00	3	1	37	92.00	4	1	81
13.00	1	0	7	53.00	2	1	38	93.00	4	1	83
14.00	2	1	8	54.00	4	1	40	94.00	4	1	84
15.00	2	1	8	55.00	3	1	41	95.00	2	1	85
16.00	2	1	9	56.00	2	1	41	96.00	1	0	85
17.00	1	0	10	57.00	3	1	42	97.00	4	1	87
18.00	2	1	10	58.00	6	2	45	98.00	1	0	87
20.00	1	0	11	59.00	3	1	46	99.00	1	0	88
21.00	1	0	11	60.00	2	1	47	100.00	2	1	88
22.00	1	0	11	61.00	8	3	49	102.00	1	0	89
23.00	4	1	13	62.00	3	1	51	103.00	1	0	89
24.00	1	0	13	63.00	2	1	51	106.00	3	1	90
25.00	2	1	14	64.00	4	1	53	107.00	2	1	91
26.00	2	1	15	66.00	5	2	55	108.00	1	0	91
27.00	3	1	16	67.00	4	1	56	109.00	1	0	92
28.00	2	1	16	68.00	2	1	57	110.00	2	1	92
29.00	1	0	17	69.00	2	1	58	111.00	2	1	93
30.00	4	1	18	70.00	6	2	60	112.00	3	1	94
32.00	1	0	19	71.00	4	1	61	113.00	2	1	95
33.00	4	1	20	72.00	4	1	63	115.00	2	1	96
34.00	2	1	21	73.00	5	2	64	116.00	2	1	96
35.00	2	1	22	74.00	2	1	65	117.00	1	0	97
37.00	2	1	22	75.00	3	1	66	118.00	1	0	97
38.00	5	2	24	76.00	2	1	67	121.00	1	0	97
40.00	3	1	25	77.00	3	1	68	123.00	1	0	98
41.00	2	1	26	78.00	3	1	69	124.00	1	0	98
42.00	1	0	26	79.00	3	1	70	127.00	1	0	99
43.00	3	1	27	80.00	3	1	71	128.00	1	0	99
44.00	3	1	29	82.00	4	1	73	129.00	1	0	99
45.00	3	1	30	83.00	3	1	74	132.00	1	0	100
46.00	1	0	30	84.00	4	1	75	134.00	1	0	100

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:09 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Count Midpoint One symbol equals approximately .40 occurrences



Histogram frequency

Mean 62.714 Std dev 30.798

Valid cases 273 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:09 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .26 seconds CPU time; 2.27 seconds elapsed.

```
392 0 TEMPORARY
393 0 SELECT IF          (SCIN34 EQ 14)
394 0 /*
395 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  ANAESTHETISTS
396 0 /*
397 0 FREQUENCIES        VARIABLES=PERWEEK/
398 0                    FORMAT=CONDENSE/
399 0                    HISTOGRAM=INCREMENT (5)/
400 0                    STATISTICS=MEAN STDDEV
401 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:10 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	31	2	2	30.00	25	2	49	54.00	16	1	85
7.00	41	3	5	31.00	20	1	51	55.00	20	1	86
8.00	39	3	8	32.00	18	1	52	56.00	27	2	88
9.00	29	2	10	33.00	25	2	54	57.00	11	1	89
10.00	43	3	13	34.00	28	2	56	58.00	13	1	90
11.00	37	3	15	35.00	28	2	58	59.00	10	1	91
12.00	36	3	18	36.00	24	2	60	60.00	19	1	92
13.00	26	2	20	37.00	15	1	61	61.00	12	1	93
14.00	26	2	22	38.00	22	2	62	62.00	11	1	93
15.00	31	2	24	39.00	24	2	64	63.00	9	1	94
16.00	28	2	26	40.00	24	2	65	64.00	7	0	95
17.00	23	2	27	41.00	17	1	67	65.00	11	1	95
18.00	32	2	30	42.00	24	2	68	66.00	12	1	96
19.00	20	1	31	43.00	17	1	70	67.00	8	1	97
20.00	21	1	32	44.00	16	1	71	68.00	6	0	97
21.00	30	2	35	45.00	21	1	72	69.00	5	0	98
22.00	31	2	37	46.00	19	1	73	70.00	9	1	98
23.00	15	1	38	47.00	22	2	75	71.00	7	0	99
24.00	15	1	39	48.00	24	2	77	72.00	4	0	99
25.00	28	2	41	49.00	24	2	78	73.00	3	0	99
26.00	21	1	42	50.00	17	1	80	74.00	8	1	100
27.00	30	2	44	51.00	22	2	81	75.00	4	0	100
28.00	24	2	46	52.00	16	1	82				
29.00	23	2	48	53.00	21	1	84				

Count Midpoint One symbol equals approximately 4.00 occurrences



8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:11 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Mean 32.659 Std dev 18.382

Valid cases 1425 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:12 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .25 seconds CPU time; 1.95 seconds elapsed.

```
402 0 TEMPORARY
403 0 SELECT IF      (SCIN34 EQ 15)
404 0 /*
405 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  DERMATOLOGISTS
406 0 /*
407 0 FREQUENCIES    VARIABLES=PERWEEK/
408 0                FORMAT=CONDENSE/
409 0                HISTOGRAM=INCREMENT (5)/
410 0                STATISTICS=MEAN STDDEV
411 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

Total Times Round 2 (with adjust time) - filtered

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:12 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1


PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	1	0	0	41.00	4	2	32	78.00	1	0	73
7.00	1	0	1	43.00	2	1	33	79.00	6	2	75
8.00	1	0	1	44.00	2	1	34	80.00	3	1	76
9.00	1	0	2	45.00	5	2	36	81.00	3	1	77
10.00	3	1	3	47.00	4	2	38	82.00	3	1	79
11.00	1	0	3	48.00	3	1	39	83.00	3	1	80
12.00	1	0	4	49.00	2	1	39	84.00	1	0	80
13.00	3	1	5	50.00	2	1	40	85.00	6	2	82
14.00	1	0	5	52.00	1	0	41	86.00	2	1	83
15.00	1	0	5	53.00	2	1	41	87.00	1	0	84
16.00	3	1	7	54.00	5	2	43	88.00	1	0	84
17.00	4	2	8	55.00	4	2	45	89.00	1	0	84
18.00	2	1	9	56.00	3	1	46	90.00	3	1	86
20.00	3	1	10	57.00	5	2	48	91.00	1	0	86
21.00	4	2	12	59.00	3	1	49	92.00	3	1	87
22.00	2	1	13	60.00	2	1	50	93.00	1	0	88
23.00	4	2	14	61.00	5	2	52	94.00	3	1	89
24.00	1	0	14	62.00	1	0	52	95.00	2	1	89
25.00	1	0	15	63.00	3	1	54	96.00	3	1	91
26.00	2	1	16	64.00	3	1	55	97.00	2	1	91
27.00	2	1	16	65.00	4	2	56	98.00	4	2	93
28.00	3	1	18	66.00	4	2	58	99.00	2	1	94
30.00	2	1	18	67.00	4	2	59	100.00	1	0	94
31.00	2	1	19	68.00	3	1	61	103.00	1	0	95
32.00	2	1	20	69.00	6	2	63	104.00	3	1	96
33.00	4	2	21	70.00	2	1	64	105.00	2	1	96
34.00	4	2	23	71.00	6	2	66	108.00	1	0	97
35.00	4	2	25	72.00	4	2	68	110.00	1	0	97
36.00	2	1	25	73.00	3	1	69	111.00	1	0	98
37.00	3	1	27	74.00	2	1	70	113.00	2	1	98
38.00	1	0	27	75.00	2	1	70	116.00	1	0	99
39.00	4	2	29	76.00	3	1	71	118.00	3	1	100
40.00	6	2	31	77.00	2	1	72				

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:13 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Count Midpoint One symbol equals approximately .40 occurrences



+-----+-----+-----+-----+-----+-----+-----+-----+
0 4 8 12 16 20
Histogram frequency

Mean 58.668 Std dev 27.734

Valid cases 256 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:14 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .32 seconds CPU time; 2.61 seconds elapsed.

```
412 0 TEMPORARY
413 0 SELECT IF      (SCIN34 EQ 16)
414 0 /*
415 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   IVF SPECIALISTS
416 0 /*
417 0 FREQUENCIES    VARIABLES=PERWEEK/
418 0                FORMAT=CONDENSE/
419 0                HISTOGRAM=INCREMENT (5)/
420 0                STATISTICS=MEAN STDDEV
421 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:15 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1


PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	1	1	1	45.00	1	1	37	91.00	1	1	70
10.00	2	3	4	50.00	2	3	40	92.00	1	1	71
12.00	1	1	6	52.00	1	1	41	93.00	1	1	73
16.00	1	1	7	53.00	1	1	43	94.00	1	1	74
18.00	1	1	9	59.00	1	1	44	95.00	2	3	77
19.00	2	3	11	60.00	1	1	46	101.00	1	1	79
22.00	1	1	13	63.00	1	1	47	103.00	1	1	80
23.00	1	1	14	64.00	2	3	50	105.00	4	6	86
26.00	1	1	16	67.00	1	1	51	108.00	1	1	87
28.00	1	1	17	70.00	3	4	56	114.00	1	1	89
30.00	1	1	19	71.00	1	1	57	115.00	1	1	90
33.00	1	1	20	72.00	1	1	59	117.00	1	1	91
34.00	1	1	21	74.00	1	1	60	119.00	1	1	93
38.00	2	3	24	76.00	1	1	61	128.00	2	3	96
39.00	3	4	29	78.00	1	1	63	129.00	1	1	97
41.00	1	1	30	80.00	1	1	64	136.00	1	1	99
42.00	2	3	33	83.00	1	1	66	139.00	1	1	100
43.00	1	1	34	85.00	1	1	67				
44.00	1	1	36	89.00	1	1	69				

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:16 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Count Midpoint One symbol equals approximately .20 occurrences



Mean 66.757 Std dev 35.895

Valid cases 70 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:17 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .26 seconds CPU time; 1.93 seconds elapsed.

```
422 0 TEMPORARY
423 0 SELECT IF          (SCIN34 EQ 17)
424 0 /*
425 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   GENERAL MEDICINE PHYSICIANS
426 0 /*
427 0 FREQUENCIES        VARIABLES=PERWEEK/
428 0                     FORMAT=CONDENSE/
429 0                     HISTOGRAM=INCREMENT (5)/
430 0                     STATISTICS=MEAN STDDEV
431 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:18 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	28	4	4	25.00	20	3	58	44.00	6	1	87
7.00	22	3	8	26.00	9	1	60	45.00	7	1	88
8.00	30	5	12	27.00	8	1	61	46.00	7	1	89
9.00	21	3	15	28.00	11	2	63	47.00	6	1	90
10.00	20	3	19	29.00	13	2	65	48.00	6	1	91
11.00	30	5	23	30.00	10	2	66	49.00	7	1	92
12.00	23	4	27	31.00	18	3	69	50.00	5	1	93
13.00	25	4	31	32.00	9	1	70	51.00	7	1	94
14.00	12	2	32	33.00	12	2	72	52.00	2	0	94
15.00	20	3	35	34.00	13	2	74	53.00	7	1	95
16.00	14	2	38	35.00	8	1	75	54.00	5	1	96
17.00	14	2	40	36.00	15	2	78	55.00	4	1	97
18.00	12	2	42	37.00	9	1	79	56.00	3	0	97
19.00	15	2	44	38.00	10	2	81	57.00	4	1	98
20.00	10	2	45	39.00	8	1	82	58.00	5	1	99
21.00	24	4	49	40.00	11	2	84	60.00	5	1	99
22.00	15	2	51	41.00	7	1	85	61.00	4	1	100
23.00	10	2	53	42.00	9	1	86				
24.00	16	2	55	43.00	1	0	86				

Count Midpoint One symbol equals approximately 4.00 occurrences



Mean 24.830 Std dev 14.609

Valid cases 652 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:19 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .22 seconds CPU time; 1.97 seconds elapsed.

```
432 0 TEMPORARY
433 0 SELECT IF      (SCIN34 EQ 18)
434 0 /*
435 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   CARDIOLOGISTS
436 0 /*
437 0 FREQUENCIES    VARIABLES=PERWEEK/
438 0                FORMAT=CONDENSE/
439 0                HISTOGRAM=INCREMENT (5)/
440 0                STATISTICS=MEAN STDDEV
441 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

Total Times Round 2 (with adjust time) - filtered

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:20 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)


Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	6	1	1	38.00	9	2	43	71.00	3	1	81
7.00	7	1	3	39.00	7	1	45	72.00	5	1	82
8.00	5	1	4	40.00	3	1	45	73.00	7	1	84
9.00	4	1	5	41.00	4	1	46	74.00	5	1	85
10.00	10	2	7	42.00	4	1	47	75.00	1	0	85
11.00	7	1	8	43.00	10	2	49	76.00	2	0	85
12.00	5	1	9	44.00	6	1	50	77.00	2	0	86
13.00	8	2	11	45.00	6	1	52	78.00	4	1	86
14.00	7	1	12	46.00	3	1	52	79.00	2	0	87
15.00	5	1	14	47.00	5	1	53	80.00	5	1	88
16.00	6	1	15	48.00	8	2	55	81.00	4	1	89
17.00	2	0	15	49.00	3	1	56	82.00	1	0	89
18.00	7	1	17	50.00	5	1	57	83.00	4	1	90
19.00	1	0	17	51.00	5	1	58	84.00	3	1	90
20.00	10	2	19	52.00	7	1	59	85.00	5	1	92
21.00	10	2	21	53.00	3	1	60	86.00	1	0	92
22.00	6	1	22	54.00	6	1	61	87.00	2	0	92
23.00	4	1	23	55.00	11	2	63	90.00	3	1	93
24.00	7	1	25	56.00	7	1	65	92.00	4	1	94
25.00	6	1	26	57.00	6	1	66	93.00	1	0	94
26.00	4	1	27	58.00	5	1	67	94.00	2	0	94
27.00	8	2	29	59.00	6	1	68	95.00	2	0	95
28.00	6	1	30	60.00	6	1	70	97.00	6	1	96
29.00	7	1	31	61.00	3	1	70	98.00	3	1	97
30.00	7	1	33	62.00	5	1	71	99.00	3	1	97
31.00	9	2	35	63.00	7	1	73	100.00	3	1	98
32.00	9	2	37	64.00	7	1	74	101.00	1	0	98
33.00	3	1	37	65.00	5	1	75	102.00	1	0	98
34.00	5	1	38	66.00	12	3	78	104.00	3	1	99
35.00	5	1	39	67.00	2	0	78	110.00	3	1	100
36.00	6	1	41	68.00	5	1	79	111.00	1	0	100
37.00	3	1	41	69.00	4	1	80	112.00	1	0	100

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:21 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Count Midpoint One symbol equals approximately .80 occurrences

32	8.50	*****
32	13.50	*****
26	18.50	*****
33	23.50	*****
32	28.50	*****
31	33.50	*****
28	38.50	*****
30	43.50	*****
24	48.50	*****
32	53.50	*****
30	58.50	*****
27	63.50	*****
23	68.50	*****
21	73.50	*****
15	78.50	*****
17	83.50	*****
6	88.50	*****
9	93.50	*****
15	98.50	*****
5	103.50	*****
3	108.50	****
2	112.00	***



Mean 46.617 Std dev 26.225

Valid cases 473 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:22 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .32 seconds CPU time; 2.35 seconds elapsed.

```
442 0 TEMPORARY
443 0 SELECT IF          (SCIN34 EQ 19)
444 0 /*
445 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    RENAL MEDICINE PHYSICIANS
446 0 /*
447 0 FREQUENCIES        VARIABLES=PERWEEK/
448 0                      FORMAT=CONDENSE/
449 0                      HISTOGRAM=INCREMENT (5)/
450 0                      STATISTICS=MEAN STDDEV
451 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:22 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	4	6	6	21.00	2	3	51	39.00	1	1	79
7.00	4	6	11	22.00	2	3	54	40.00	1	1	81
8.00	3	4	15	23.00	2	3	57	41.00	2	3	83
9.00	5	7	22	24.00	3	4	61	42.00	2	3	86
10.00	1	1	24	26.00	1	1	63	43.00	1	1	88
11.00	4	6	29	27.00	3	4	67	45.00	2	3	90
12.00	2	3	32	29.00	1	1	68	48.00	1	1	92
13.00	1	1	33	30.00	1	1	69	55.00	1	1	93
14.00	1	1	35	31.00	1	1	71	60.00	2	3	96
15.00	3	4	39	32.00	1	1	72	63.00	1	1	97
16.00	1	1	40	35.00	1	1	74	70.00	1	1	99
17.00	3	4	44	36.00	1	1	75	71.00	1	1	100
18.00	1	1	46	37.00	1	1	76				
20.00	2	3	49	38.00	1	1	78				

Count Midpoint One symbol equals approximately .40 occurrences



Mean 24.722 Std dev 16.783

Valid cases 72 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:23 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .25 seconds CPU time; 1.39 seconds elapsed.

```
452 0 TEMPORARY
453 0 SELECT IF          (SCIN34 EQ 20)
454 0 /*
455 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    GASTROENTEROLOGISTS
456 0 /*
457 0 FREQUENCIES        VARIABLES=PERWEEK/
458 0                    FORMAT=CONDENSE/
459 0                    HISTOGRAM=INCREMENT (5)/
460 0                    STATISTICS=MEAN STDDEV
461 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

Total Times Round 2 (with adjust time) - filtered

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:24 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1



PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	6	2	2	31.00	11	4	42	55.00	2	1	82
7.00	1	0	2	32.00	6	2	44	56.00	6	2	84
8.00	4	1	4	33.00	3	1	45	57.00	4	1	85
9.00	10	3	7	34.00	5	2	46	58.00	5	2	87
10.00	5	2	8	35.00	8	3	49	59.00	3	1	88
11.00	8	3	11	36.00	9	3	52	60.00	4	1	89
12.00	5	2	13	37.00	9	3	55	61.00	1	0	89
13.00	2	1	13	38.00	6	2	56	62.00	4	1	91
14.00	5	2	15	39.00	6	2	58	63.00	2	1	91
15.00	5	2	16	40.00	4	1	60	64.00	4	1	93
16.00	2	1	17	41.00	2	1	60	66.00	3	1	94
17.00	4	1	18	42.00	7	2	63	68.00	2	1	94
18.00	3	1	19	43.00	4	1	64	69.00	1	0	95
19.00	3	1	20	44.00	2	1	65	70.00	2	1	95
20.00	3	1	21	45.00	4	1	66	71.00	1	0	95
22.00	4	1	23	46.00	3	1	67	74.00	2	1	96
23.00	7	2	25	47.00	7	2	69	75.00	2	1	97
24.00	6	2	27	48.00	8	3	72	78.00	2	1	97
25.00	7	2	29	49.00	9	3	75	79.00	1	0	98
26.00	3	1	30	50.00	4	1	76	80.00	2	1	98
27.00	5	2	32	51.00	3	1	77	81.00	3	1	99
28.00	8	3	34	52.00	4	1	78	85.00	1	0	100
29.00	6	2	36	53.00	6	2	80	87.00	1	0	100
30.00	6	2	38	54.00	4	1	81				

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:25 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Count Midpoint One symbol equals approximately .80 occurrences



Mean 37.168 Std dev 18.786

Valid cases 310 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:25 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .25 seconds CPU time; 1.73 seconds elapsed.

```
462 0 TEMPORARY
463 0 SELECT IF      (SCIN34 EQ 21)
464 0 /*
465 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   NEUROLOGISTS
466 0 /*
467 0 FREQUENCIES    VARIABLES=PERWEEK/
468 0                FORMAT=CONDENSE/
469 0                HISTOGRAM=INCREMENT (5)/
470 0                STATISTICS=MEAN STDDEV
471 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:26 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	5	2	2	24.00	7	3	53	44.00	2	1	83
7.00	13	6	8	26.00	4	2	55	45.00	5	2	86
8.00	5	2	11	27.00	4	2	57	46.00	2	1	87
9.00	4	2	13	28.00	3	1	59	47.00	2	1	87
10.00	5	2	15	29.00	3	1	60	48.00	1	0	88
11.00	9	4	19	30.00	5	2	62	49.00	1	0	88
12.00	5	2	21	31.00	1	0	63	50.00	1	0	89
13.00	4	2	23	32.00	5	2	65	51.00	5	2	91
14.00	7	3	27	33.00	5	2	67	53.00	2	1	92
15.00	4	2	28	34.00	5	2	70	54.00	3	1	93
16.00	3	1	30	35.00	4	2	72	56.00	4	2	95
17.00	2	1	31	36.00	6	3	74	57.00	2	1	96
18.00	4	2	33	38.00	3	1	76	60.00	1	0	97
19.00	5	2	35	39.00	1	0	76	61.00	1	0	97
20.00	7	3	38	40.00	1	0	77	64.00	2	1	98
21.00	12	6	44	41.00	5	2	79	65.00	3	1	100
22.00	9	4	48	42.00	3	1	80	67.00	1	0	100
23.00	5	2	50	43.00	4	2	82				

Count Midpoint One symbol equals approximately .80 occurrences



Mean 27.288 Std dev 15.686

Valid cases 215 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:27 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .22 seconds CPU time; 1.39 seconds elapsed.

```
472 0 TEMPORARY
473 0 SELECT IF          (SCIN34 EQ 22)
474 0 /*
475 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    PAEDIATRIC PHYSICIANS
476 0 /*
477 0 FREQUENCIES        VARIABLES=PERWEEK/
478 0                    FORMAT=CONDENSE/
479 0                    HISTOGRAM=INCREMENT (5)/
480 0                    STATISTICS=MEAN STDDEV
481 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:27 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	23	5	5	26.00	5	1	55	46.00	8	2	88
7.00	23	5	10	27.00	9	2	57	47.00	5	1	89
8.00	25	5	15	28.00	15	3	60	48.00	3	1	90
9.00	12	3	17	29.00	4	1	61	49.00	6	1	91
10.00	16	3	21	30.00	6	1	62	50.00	1	0	91
11.00	18	4	24	31.00	5	1	63	51.00	3	1	92
12.00	11	2	27	32.00	9	2	65	52.00	2	0	92
13.00	11	2	29	33.00	10	2	67	53.00	5	1	93
14.00	15	3	32	34.00	8	2	69	54.00	4	1	94
15.00	7	1	34	35.00	11	2	71	55.00	3	1	95
16.00	4	1	35	36.00	6	1	72	56.00	2	0	95
17.00	13	3	37	37.00	7	1	74	57.00	3	1	96
18.00	7	1	39	38.00	9	2	76	58.00	5	1	97
19.00	14	3	42	39.00	14	3	78	59.00	5	1	98
20.00	10	2	44	40.00	5	1	79	60.00	2	0	98
21.00	9	2	46	41.00	3	1	80	61.00	2	0	99
22.00	8	2	47	42.00	8	2	82	62.00	3	1	99
23.00	11	2	50	43.00	8	2	83	63.00	1	0	100
24.00	8	2	51	44.00	8	2	85	64.00	2	0	100
25.00	12	3	54	45.00	6	1	86				

Count Midpoint One symbol equals approximately 2.00 occurrences



Mean 26.213 Std dev 15.687

Valid cases 478 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:29 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .25 seconds CPU time; 1.60 seconds elapsed.

```
482 0 TEMPORARY
483 0 SELECT IF          (SCIN34 EQ 23)
484 0 /*
485 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR REHABILITATION PHYSICIANS
486 0 /*
487 0 FREQUENCIES        VARIABLES=PERWEEK/
488 0                     FORMAT=CONDENSE/
489 0                     HISTOGRAM=INCREMENT (5)/
490 0                     STATISTICS=MEAN STDDEV
491 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:31 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	5	11	11	14.00	1	2	64	26.00	1	2	89
7.00	4	9	19	15.00	3	6	70	29.00	1	2	91
8.00	2	4	23	16.00	2	4	74	32.00	1	2	94
9.00	1	2	26	17.00	1	2	77	34.00	1	2	96
10.00	10	21	47	19.00	2	4	81	35.00	1	2	98
12.00	6	13	60	21.00	2	4	85	36.00	1	2	100
13.00	1	2	62	22.00	1	2	87				

Count Midpoint One symbol equals approximately .50 occurrences



Mean 14.255 Std dev 8.136

Valid cases 47 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:32 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .32 seconds CPU time; 3.32 seconds elapsed.

```
492 0 TEMPORARY
493 0 SELECT IF          (SCIN34 EQ 24)
494 0 /*
495 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   RHEUMATOLOGISTS
496 0 /*
497 0 FREQUENCIES        VARIABLES=PERWEEK/
498 0                    FORMAT=CONDENSE/
499 0                    HISTOGRAM=INCREMENT (5)/
500 0                    STATISTICS=MEAN STDDEV
501 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:34 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	2	2	2	24.00	4	4	37	46.00	2	2	78
7.00	3	3	4	25.00	2	2	39	47.00	2	2	80
8.00	2	2	6	26.00	4	4	42	48.00	1	1	81
9.00	2	2	8	27.00	3	3	45	49.00	2	2	82
10.00	3	3	11	28.00	2	2	46	50.00	1	1	83
11.00	2	2	12	30.00	3	3	49	51.00	2	2	85
12.00	1	1	13	31.00	1	1	50	52.00	1	1	86
13.00	2	2	15	33.00	3	3	53	53.00	1	1	87
14.00	4	4	18	34.00	3	3	55	54.00	1	1	88
15.00	1	1	19	35.00	2	2	57	56.00	1	1	89
16.00	1	1	20	36.00	1	1	58	57.00	4	4	92
17.00	4	4	24	37.00	1	1	59	62.00	1	1	93
18.00	1	1	25	39.00	4	4	62	64.00	2	2	95
19.00	1	1	25	40.00	4	4	66	66.00	1	1	96
20.00	1	1	26	41.00	4	4	69	67.00	1	1	96
21.00	4	4	30	43.00	2	2	71	71.00	1	1	97
22.00	1	1	31	44.00	5	4	75	73.00	1	1	98
23.00	3	3	33	45.00	1	1	76	76.00	2	2	100

Count Midpoint One symbol equals approximately .40 occurrences



Mean 33.096 Std dev 17.589

Valid cases 114 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:36 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .41 seconds CPU time; 4.00 seconds elapsed.

```
502 0 TEMPORARY
503 0 SELECT IF          (SCIN34 EQ 25)
504 0 /*
505 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    THORACIC MEDICINE PHYSICIANS
506 0 /*
507 0 FREQUENCIES        VARIABLES=PERWEEK/
508 0                     FORMAT=CONDENSE/
509 0                     HISTOGRAM=INCREMENT (5)/
510 0                     STATISTICS=MEAN STDDEV
511 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:38 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	2	1	1	27.00	2	1	55	48.00	2	1	84
7.00	9	5	6	28.00	1	1	56	49.00	3	2	86
8.00	6	3	9	29.00	2	1	57	50.00	1	1	86
9.00	7	4	13	30.00	3	2	58	51.00	1	1	87
10.00	7	4	17	31.00	1	1	59	52.00	1	1	87
11.00	8	4	21	32.00	4	2	61	53.00	1	1	88
12.00	8	4	25	33.00	2	1	62	54.00	3	2	89
13.00	4	2	27	34.00	8	4	66	55.00	6	3	93
14.00	8	4	32	35.00	2	1	67	56.00	1	1	93
15.00	5	3	34	36.00	3	2	69	57.00	1	1	94
16.00	3	2	36	37.00	3	2	71	58.00	2	1	95
17.00	6	3	39	38.00	3	2	72	62.00	4	2	97
18.00	5	3	42	39.00	1	1	73	63.00	1	1	97
19.00	3	2	43	40.00	5	3	75	64.00	1	1	98
20.00	3	2	45	41.00	2	1	76	65.00	1	1	98
21.00	5	3	48	43.00	2	1	78	66.00	1	1	99
22.00	5	3	50	44.00	1	1	78	68.00	1	1	99
23.00	3	2	52	45.00	3	2	80	69.00	1	1	100
25.00	1	1	52	46.00	5	3	82				
26.00	3	2	54	47.00	1	1	83				

Count Midpoint One symbol equals approximately .80 occurrences



Mean 27.963 Std dev 17.323

Valid cases 187 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:39 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .44 seconds CPU time; 2.80 seconds elapsed.

```
512 0 TEMPORARY
513 0 SELECT IF          (SCIN34 EQ 26)
514 0 /*
515 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    PSYCHIATRISTS
516 0 /*
517 0 FREQUENCIES        VARIABLES=PERWEEK/
518 0                    FORMAT=CONDENSE/
519 0                    HISTOGRAM=INCREMENT (5)/
520 0                    STATISTICS=MEAN STDDEV
521 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:40 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	40	3	3	26.00	28	2	43	46.00	23	2	83
7.00	31	2	5	27.00	36	3	46	47.00	27	2	85
8.00	35	3	8	28.00	25	2	48	48.00	17	1	87
9.00	21	2	10	29.00	38	3	50	49.00	25	2	89
10.00	37	3	12	30.00	35	3	53	50.00	26	2	91
11.00	21	2	14	31.00	23	2	55	51.00	13	1	92
12.00	28	2	16	32.00	26	2	57	52.00	8	1	92
13.00	28	2	18	33.00	31	2	59	53.00	11	1	93
14.00	23	2	20	34.00	24	2	61	54.00	12	1	94
15.00	30	2	22	35.00	31	2	63	55.00	10	1	95
16.00	30	2	25	36.00	35	3	66	56.00	6	0	95
17.00	28	2	27	37.00	29	2	68	57.00	11	1	96
18.00	24	2	28	38.00	21	2	70	58.00	10	1	97
19.00	29	2	31	39.00	17	1	71	59.00	10	1	97
20.00	24	2	33	40.00	25	2	73	60.00	9	1	98
21.00	20	2	34	41.00	30	2	75	61.00	5	0	98
22.00	15	1	35	42.00	20	2	77	62.00	4	0	99
23.00	26	2	37	43.00	20	2	78	63.00	9	1	99
24.00	31	2	39	44.00	16	1	79	64.00	7	1	100
25.00	18	1	41	45.00	28	2	82				

Count Midpoint One symbol equals approximately 4.00 occurrences



Mean 29.877 Std dev 15.165

Valid cases 1320 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:41 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .27 seconds CPU time; 1.62 seconds elapsed.

```
522 0 TEMPORARY
523 0 SELECT IF          (SCIN34 EQ 27)
524 0 /*
525 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    RADIATION ONCOLOGISTS
526 0 /*
527 0 FREQUENCIES          VARIABLES=PERWEEK/
528 0                      FORMAT=CONDENSE/
529 0                      HISTOGRAM=INCREMENT (5)/
530 0                      STATISTICS=MEAN STDDEV
531 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:42 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	4	4	4	18.00	3	3	50	31.00	2	2	80
7.00	3	3	7	19.00	3	3	53	32.00	1	1	81
8.00	2	2	9	20.00	4	4	57	33.00	1	1	82
9.00	7	7	16	21.00	2	2	59	34.00	1	1	83
10.00	3	3	19	22.00	1	1	60	35.00	4	4	87
11.00	4	4	23	23.00	2	2	62	36.00	4	4	91
12.00	4	4	26	24.00	3	3	65	38.00	2	2	93
13.00	3	3	29	25.00	3	3	68	39.00	1	1	94
14.00	2	2	31	26.00	3	3	71	40.00	1	1	95
15.00	5	5	36	27.00	2	2	73	42.00	2	2	97
16.00	5	5	41	28.00	3	3	75	45.00	1	1	98
17.00	6	6	47	29.00	3	3	78	46.00	2	2	100

Count Midpoint One symbol equals approximately .50 occurrences



Mean 21.000 Std dev 10.677

Valid cases 102 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:43 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .27 seconds CPU time; 1.37 seconds elapsed.

```
532 0 TEMPORARY
533 0 SELECT IF      (SCIN34 EQ 28)
534 0 /*
535 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   HAEMATOLOGISTS
536 0 /*
537 0 FREQUENCIES    VARIABLES=PERWEEK/
538 0                FORMAT=CONDENSE/
539 0                HISTOGRAM=INCREMENT (5)/
540 0                STATISTICS=MEAN STDDEV
541 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:43 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	7	8	8	19.00	5	6	56	37.00	1	1	87
7.00	5	6	13	20.00	3	3	59	38.00	2	2	89
8.00	4	4	18	21.00	5	6	64	40.00	1	1	90
9.00	4	4	22	22.00	4	4	69	45.00	1	1	91
10.00	2	2	24	23.00	2	2	71	46.00	1	1	92
11.00	2	2	27	24.00	1	1	72	48.00	2	2	94
13.00	2	2	29	25.00	4	4	77	50.00	1	1	96
14.00	3	3	32	26.00	2	2	79	51.00	1	1	97
15.00	3	3	36	27.00	1	1	80	55.00	2	2	99
16.00	6	7	42	30.00	3	3	83	64.00	1	1	100
17.00	6	7	49	32.00	1	1	84				
18.00	1	1	50	35.00	1	1	86				

Count Midpoint One symbol equals approximately .50 occurrences



Mean 20.944 Std dev 13.153

Valid cases 90 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:44 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .30 seconds CPU time; 1.20 seconds elapsed.

```
542 0 TEMPORARY
543 0 SELECT IF          (SCIN34 EQ 29)
544 0 /*
545 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    MEDICAL ONCOLOGISTS
546 0 /*
547 0 FREQUENCIES        VARIABLES=PERWEEK/
548 0                    FORMAT=CONDENSE/
549 0                    HISTOGRAM=INCREMENT (5)/
550 0                    STATISTICS=MEAN STDDEV
551 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:45 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	3	4	4	21.00	1	1	51	37.00	2	3	80
7.00	4	5	9	22.00	4	5	56	40.00	1	1	81
8.00	3	4	13	23.00	1	1	57	42.00	1	1	83
9.00	2	3	15	24.00	2	3	60	46.00	1	1	84
10.00	1	1	16	25.00	1	1	61	47.00	1	1	85
11.00	3	4	20	26.00	2	3	64	50.00	1	1	86
12.00	3	4	24	27.00	2	3	66	52.00	2	3	89
13.00	5	6	30	28.00	2	3	69	56.00	2	3	91
14.00	1	1	31	29.00	1	1	70	57.00	1	1	93
15.00	4	5	36	31.00	1	1	71	58.00	1	1	94
16.00	6	8	44	33.00	1	1	73	62.00	2	3	96
17.00	3	4	48	34.00	1	1	74	64.00	1	1	98
18.00	1	1	49	35.00	1	1	75	69.00	2	3	100
19.00	1	1	50	36.00	2	3	78				

Count Midpoint One symbol equals approximately .40 occurrences



Mean 25.588 Std dev 17.304

Valid cases 80 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:46 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .24 seconds CPU time; 1.39 seconds elapsed.

```
552 0 TEMPORARY
553 0 SELECT IF          (SCIN34 EQ 30)
554 0 /*
555 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    INTENSIVE CARE PHYSICIANS
556 0 /*
557 0 FREQUENCIES        VARIABLES=PERWEEK/
558 0                    FORMAT=CONDENSE/
559 0                    HISTOGRAM=INCREMENT (5)/
560 0                    STATISTICS=MEAN STDDEV
561 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:48 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	4	5	5	20.00	3	4	55	34.00	2	3	81
7.00	5	7	12	22.00	2	3	57	38.00	1	1	83
8.00	4	5	17	23.00	2	3	60	40.00	1	1	84
9.00	4	5	23	24.00	1	1	61	41.00	1	1	85
10.00	5	7	29	25.00	3	4	65	42.00	1	1	87
13.00	1	1	31	26.00	3	4	69	43.00	1	1	88
14.00	4	5	36	27.00	1	1	71	45.00	1	1	89
15.00	3	4	40	28.00	1	1	72	46.00	2	3	92
16.00	1	1	41	29.00	2	3	75	47.00	3	4	96
18.00	4	5	47	30.00	1	1	76	50.00	1	1	97
19.00	3	4	51	31.00	2	3	79	51.00	2	3	100

Count Midpoint One symbol equals approximately .50 occurrences



Mean 22.267 Std dev 13.509

Valid cases 75 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:49 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .40 seconds CPU time; 3.20 seconds elapsed.

```
562 0 TEMPORARY
563 0 SELECT IF          (SCIN34 EQ 31)
564 0 /*
565 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    NUCLEAR MEDICINE PHYSICIANS
566 0 /*
567 0 FREQUENCIES        VARIABLES=PERWEEK/
568 0                     FORMAT=CONDENSE/
569 0                     HISTOGRAM=INCREMENT (5)/
570 0                     STATISTICS=MEAN STDDEV
571 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:51 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	2	2	2	21.00	2	2	42	35.00	1	1	74
7.00	2	2	4	22.00	1	1	43	37.00	2	2	76
8.00	1	1	5	23.00	5	5	48	38.00	4	4	80
9.00	3	3	8	24.00	1	1	49	39.00	1	1	81
10.00	2	2	10	25.00	4	4	52	41.00	3	3	83
11.00	3	3	13	26.00	3	3	55	42.00	1	1	84
12.00	3	3	16	27.00	4	4	59	43.00	2	2	86
13.00	4	4	19	28.00	1	1	60	44.00	5	5	91
14.00	4	4	23	29.00	1	1	61	45.00	2	2	93
16.00	2	2	25	30.00	2	2	63	47.00	3	3	96
17.00	4	4	29	31.00	3	3	66	48.00	1	1	97
18.00	2	2	31	32.00	1	1	67	53.00	1	1	98
19.00	3	3	34	33.00	5	5	72	61.00	1	1	99
20.00	6	6	40	34.00	1	1	73	65.00	1	1	100

Count Midpoint One symbol equals approximately .40 occurrences



Mean 26.505 Std dev 13.105

Valid cases 103 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:53 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .33 seconds CPU time; 3.38 seconds elapsed.

```
572 0 TEMPORARY
573 0 SELECT IF          (SCIN34 EQ 32)
574 0 /*
575 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR IMMUNOLOGISTS
576 0 /*
577 0 FREQUENCIES        VARIABLES=PERWEEK/
578 0                    FORMAT=CONDENSE/
579 0                    HISTOGRAM=INCREMENT (5)/
580 0                    STATISTICS=MEAN STDDEV
581 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:55 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	4	8	8	25.00	1	2	51	49.00	1	2	79
7.00	4	8	15	26.00	1	2	53	50.00	1	2	81
8.00	3	6	21	28.00	1	2	55	51.00	1	2	83
9.00	1	2	23	29.00	2	4	58	59.00	1	2	85
12.00	2	4	26	30.00	1	2	60	64.00	1	2	87
13.00	2	4	30	31.00	2	4	64	67.00	1	2	89
14.00	1	2	32	32.00	1	2	66	71.00	1	2	91
15.00	4	8	40	33.00	2	4	70	80.00	1	2	92
17.00	1	2	42	39.00	1	2	72	81.00	1	2	94
18.00	1	2	43	44.00	1	2	74	83.00	1	2	96
19.00	1	2	45	46.00	1	2	75	88.00	1	2	98
23.00	2	4	49	47.00	1	2	77	89.00	1	2	100

Count Midpoint One symbol equals approximately .40 occurrences



+-----+-----+-----+-----+-----+-----+
 0 4 8 12 16 20
 Histogram frequency

Mean 31.019 Std dev 24.443

Valid cases 53 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:57 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .36 seconds CPU time; 3.83 seconds elapsed.

```
582 0 TEMPORARY
583 0 SELECT IF          (SCIN34 EQ 33)
584 0 /*
585 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    EMERGENCY MEDICINE PHYSICIANS
586 0 /*
587 0 FREQUENCIES        VARIABLES=PERWEEK/
588 0                     FORMAT=CONDENSE/
589 0                     HISTOGRAM=INCREMENT (5)/
590 0                     STATISTICS=MEAN STDDEV
591 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


Total Times Round 2 (with adjust time) - filtered

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:07:58 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	3	13	13	13.00	2	9	70	18.00	1	4	91
7.00	4	17	30	14.00	1	4	74	22.00	1	4	96
8.00	2	9	39	15.00	1	4	78	23.00	1	4	100
9.00	2	9	48	16.00	1	4	83				
12.00	3	13	61	17.00	1	4	87				

Count Midpoint One symbol equals approximately .40 occurrences



Mean 11.609 Std dev 5.079

Valid cases 23 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:07:59 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .33 seconds CPU time; 1.78 seconds elapsed.

```
592 0 TEMPORARY
593 0 SELECT IF          (SCIN34 EQ 34)
594 0 /*
595 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR ASSISTANTS
596 0 /*
597 0 FREQUENCIES        VARIABLES=PERWEEK/
598 0                     FORMAT=CONDENSE/
599 0                     HISTOGRAM=INCREMENT (5)/
600 0                     STATISTICS=MEAN STDDEV
601 0 /*
```

There are 1,073,639,792 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:08:00 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	1	14	14	8.00	1	14	71	16.00	1	14	100
7.00	3	43	57	14.00	1	14	86				

Count Midpoint One symbol equals approximately .10 occurrences



Mean 9.286 Std dev 3.988

Valid cases 7 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:08:00 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .25 seconds CPU time; .89 seconds elapsed.

```
602 0 TEMPORARY
603 0 SELECT IF          (SCIN34 EQ 35)
604 0 /*
605 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    NON-SPEC SURGEONS
606 0 /*
607 0 FREQUENCIES        VARIABLES=PERWEEK/
608 0                     FORMAT=CONDENSE/
609 0                     HISTOGRAM=INCREMENT (5)/
610 0                     STATISTICS=MEAN STDDEV
611 0 /*
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


Total Times Round 2 (with adjust time) - filtered

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:08:01 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	22	11	11	13.00	8	4	69	20.00	3	2	92
7.00	18	9	20	14.00	6	3	72	21.00	5	3	94
8.00	17	9	29	15.00	12	6	78	22.00	8	4	98
9.00	19	10	39	16.00	4	2	80	23.00	1	1	99
10.00	20	10	49	17.00	7	4	84	24.00	2	1	100
11.00	17	9	58	18.00	6	3	87				
12.00	14	7	65	19.00	7	4	90				

Count Midpoint One symbol equals approximately 2.00 occurrences



Mean 11.857 Std dev 4.816

Valid cases 196 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:08:01 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .22 seconds CPU time; 1.07 seconds elapsed.

```
612 0 TEMPORARY
613 0 SELECT IF          (SCIN34 EQ 36)
614 0 /*
615 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    NON-SPEC ANAESTHESIOLOGISTS
616 0 /*
617 0 FREQUENCIES          VARIABLES=PERWEEK/
618 0                      FORMAT=CONDENSE/
619 0                      HISTOGRAM=INCREMENT (5)/
620 0                      STATISTICS=MEAN STDDEV
621 0
```

There are 1,073,639,792 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
 12:08:02 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK FILTERED (- TOP 5 % AND - LE 5 HRS/WEEK)

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
6.00	3	3	3	23.00	5	5	50	44.00	2	2	81
7.00	3	3	5	24.00	1	1	50	45.00	1	1	82
9.00	6	5	11	25.00	2	2	52	48.00	2	2	84
10.00	2	2	13	26.00	3	3	55	49.00	1	1	85
11.00	4	4	16	27.00	3	3	58	51.00	3	3	87
12.00	4	4	20	29.00	1	1	59	52.00	1	1	88
13.00	3	3	23	31.00	2	2	60	55.00	1	1	89
14.00	5	5	27	34.00	2	2	62	56.00	2	2	91
15.00	4	4	31	35.00	3	3	65	59.00	2	2	93
16.00	5	5	35	36.00	2	2	67	61.00	3	3	95
17.00	1	1	36	38.00	3	3	69	63.00	1	1	96
18.00	2	2	38	39.00	4	4	73	64.00	1	1	97
19.00	2	2	40	40.00	3	3	76	68.00	1	1	98
20.00	1	1	41	41.00	1	1	77	70.00	1	1	99
21.00	3	3	43	42.00	2	2	78	71.00	1	1	100
22.00	2	2	45	43.00	1	1	79				

Count Midpoint One symbol equals approximately .40 occurrences



+-----+-----+-----+-----+-----+-----+
 0 4 8 12 16 20
 Histogram frequency

Mean 28.838 Std dev 17.445

Valid cases 111 Missing cases 0

8-Aug-00 TT09FIL (TOTALS-NINE FILTERED) 8AUG2000/ALFA
12:08:03 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .26 seconds CPU time; 1.89 seconds elapsed.

622 0

621 command lines read.
0 errors detected.
0 warnings issued.
21 seconds CPU time.
308 seconds elapsed time.
End of job.

```
215 0 /* -----  
216 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR ALL PROVIDERS  
217 0 /*
```

Preceding task required .00 seconds CPU time; .08 seconds elapsed.

```
218 0 BREAKDOWN PERWEEK BY SCIN34
```

There are 1,073,640,512 bytes of memory available.

Given workspace allows for 14,577 cells of 1 dimensions for MEANS.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:17:55 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

- - Description of Subpopulations - -

Summaries of PERWEEK HOURS PER WEEK - UNFILTERED
 By levels of SCIN34 SC DIVISION = 32 + 4 ADDITIONAL CATS

Variable	Value	Label	Mean	Std Dev	Cases
For Entire Population			29.2399	25.8387	39680
SCIN34	1	GENERAL PRACTICE	30.3714	24.9287	24584
SCIN34	2	FACIO-MAX SURGERY	7.0276	6.7081	145
SCIN34	3	OBSTETRICS & GYNAECO	34.7756	26.4305	985
SCIN34	4	GENERAL SURGERY	25.5784	22.2630	1205
SCIN34	5	CARDIO-THORACIC SURG	21.7451	16.0085	102
SCIN34	6	NEUROSURGERY	18.3455	12.4041	110
SCIN34	7	ORTHOPAEDIC, HAND SU	26.6134	17.9343	688
SCIN34	8	PAEDIATRIC SURG	19.3333	17.5891	48
SCIN34	9	PLASTIC, HAND SURG,	38.8089	26.2108	225
SCIN34	10	UROLOGY	35.3136	22.1829	236
SCIN34	11	VASCULAR SURG	27.4737	20.6805	114
SCIN34	12	OPHTHALMOLOGY	44.6524	30.8184	699
SCIN34	13	ENT - OHN	61.0030	45.2463	332
SCIN34	14	ANAESTHESIA, HYPERBA	28.4512	24.6522	1977
SCIN34	15	DERMATOLOGY	58.5154	35.8817	293
SCIN34	16	IVF	68.9500	45.2265	80
SCIN34	17	GENERAL MEDICINE	18.1828	20.6459	1187
SCIN34	18	CARDIOLOGY	46.8793	34.8894	555
SCIN34	19	RENAL MEDICINE	21.1607	22.8239	112
SCIN34	20	GASTROENTEROLOGY	37.0591	27.7997	372
SCIN34	21	NEUROLOGY	26.4096	22.1703	271
SCIN34	22	PAEDIATRIC MEDICINE	21.5607	21.3943	733
SCIN34	23	REHABILITATION MEDIC	8.7542	11.8017	118
SCIN34	24	RHEUMATOLOGY	30.1733	23.6634	150
SCIN34	25	THORACIC MEDICINE	26.2402	26.1250	254
SCIN34	26	PSYCHIATRY	27.6022	21.5693	1707
SCIN34	27	RADIATION ONCOLOGY	18.7972	16.1125	143
SCIN34	28	CLINICAL HAEMATOLOGY	19.8582	24.4777	134
SCIN34	29	MEDICAL ONCOLOGY	25.8447	25.6384	103
SCIN34	30	INTENSIVE CARE	20.0877	24.2182	114
SCIN34	31	NUCLEAR MEDICINE	26.0000	18.9586	127
SCIN34	32	IMMUNOLOGY	27.8205	31.3819	78
SCIN34	33	EMERGENCY MEDICINE	5.2810	10.4628	121
SCIN34	34	ASSISTANT	2.8366	11.2200	153
SCIN34	35	NON-SPEC SURGEONS	5.0764	11.9960	1231
SCIN34	36	NON-SPEC ANAESTHESIO	22.1289	25.8879	194

Total Cases = 39680

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:17:57 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .44 seconds CPU time; 3.11 seconds elapsed.

219 0 FREQUENCIES VARIABLES=PERWEEK/
220 0 FORMAT=CONDENSE/
221 0 HISTOGRAM=INCREMENT (5)/
222 0 STATISTICS=MEAN STDDEV

There are 1,073,640,512 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:17:59 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	4403	11	11	47.00	424	1	78	94.00	48	0	98
1.00	1640	4	15	48.00	416	1	79	95.00	51	0	98
2.00	1012	3	18	49.00	394	1	80	96.00	44	0	98
3.00	818	2	20	50.00	370	1	81	97.00	39	0	99
4.00	704	2	22	51.00	346	1	82	98.00	33	0	99
5.00	702	2	23	52.00	326	1	82	99.00	38	0	99
6.00	635	2	25	53.00	329	1	83	100.00	32	0	99
7.00	611	2	27	54.00	319	1	84	101.00	19	0	99
8.00	584	1	28	55.00	299	1	85	102.00	21	0	99
9.00	552	1	29	56.00	304	1	86	103.00	29	0	99
10.00	605	2	31	57.00	254	1	86	104.00	20	0	99
11.00	557	1	32	58.00	249	1	87	105.00	19	0	99
12.00	523	1	34	59.00	269	1	88	106.00	23	0	99
13.00	508	1	35	60.00	248	1	88	107.00	21	0	99
14.00	500	1	36	61.00	220	1	89	108.00	17	0	99
15.00	502	1	37	62.00	202	1	89	109.00	13	0	99
16.00	517	1	39	63.00	231	1	90	110.00	20	0	99
17.00	500	1	40	64.00	188	0	90	111.00	15	0	99
18.00	495	1	41	65.00	185	0	91	112.00	19	0	99
19.00	495	1	42	66.00	189	0	91	113.00	12	0	99
20.00	537	1	44	67.00	172	0	92	114.00	13	0	99
21.00	529	1	45	68.00	179	0	92	115.00	13	0	99
22.00	487	1	46	69.00	157	0	93	116.00	13	0	99
23.00	467	1	48	70.00	137	0	93	117.00	6	0	100
24.00	473	1	49	71.00	167	0	93	118.00	12	0	100
25.00	478	1	50	72.00	134	0	94	119.00	8	0	100
26.00	531	1	51	73.00	125	0	94	120.00	5	0	100
27.00	524	1	53	74.00	134	0	94	121.00	8	0	100
28.00	540	1	54	75.00	134	0	95	122.00	7	0	100
29.00	537	1	55	76.00	117	0	95	123.00	7	0	100
30.00	533	1	57	77.00	101	0	95	124.00	8	0	100
31.00	574	1	58	78.00	104	0	95	125.00	6	0	100
32.00	529	1	59	79.00	94	0	96	126.00	5	0	100
33.00	535	1	61	80.00	99	0	96	127.00	7	0	100
34.00	517	1	62	81.00	81	0	96	128.00	8	0	100
35.00	544	1	64	82.00	78	0	96	129.00	6	0	100
36.00	551	1	65	83.00	86	0	97	130.00	3	0	100
37.00	495	1	66	84.00	82	0	97	131.00	6	0	100
38.00	508	1	67	85.00	65	0	97	132.00	5	0	100
39.00	510	1	69	86.00	57	0	97	133.00	2	0	100
40.00	494	1	70	87.00	70	0	97	134.00	6	0	100
41.00	486	1	71	88.00	51	0	97	135.00	5	0	100
42.00	479	1	72	89.00	55	0	98	136.00	4	0	100
43.00	418	1	73	90.00	67	0	98	137.00	1	0	100
44.00	454	1	75	91.00	50	0	98	138.00	3	0	100
45.00	451	1	76	92.00	53	0	98	139.00	4	0	100
46.00	409	1	77	93.00	42	0	98	140.00	4	0	100

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:00 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
141.00	2	0	100	158.00	1	0	100	186.00	1	0	100
144.00	4	0	100	159.00	3	0	100	189.00	1	0	100
145.00	1	0	100	160.00	1	0	100	190.00	2	0	100
146.00	2	0	100	162.00	1	0	100	192.00	1	0	100
147.00	4	0	100	163.00	2	0	100	193.00	1	0	100
148.00	2	0	100	164.00	2	0	100	194.00	1	0	100
149.00	5	0	100	165.00	1	0	100	197.00	1	0	100
150.00	2	0	100	168.00	2	0	100	201.00	1	0	100
151.00	1	0	100	169.00	1	0	100	210.00	1	0	100
152.00	2	0	100	173.00	1	0	100	214.00	1	0	100
153.00	1	0	100	175.00	1	0	100	216.00	1	0	100
154.00	1	0	100	177.00	2	0	100	238.00	1	0	100
156.00	2	0	100	182.00	1	0	100	246.00	1	0	100
157.00	2	0	100	184.00	1	0	100	253.00	1	0	100


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:01 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Count	Midpoint	One symbol equals approx. 200.00 occurrences
8577	2.50	*****
3084	7.50	*****
2693	12.50	*****
2509	17.50	*****
2493	22.50	*****
2610	27.50	*****
2688	32.50	*****
2608	37.50	*****
2331	42.50	*****
2094	47.50	*****
1690	52.50	*****
1375	57.50	*****
1089	62.50	*****
882	67.50	****
697	72.50	***
550	77.50	***
426	82.50	**
298	87.50	*
260	92.50	*
205	97.50	*
121	102.50	*
93	107.50	
79	112.50	
52	117.50	
35	122.50	
32	127.50	
22	132.50	
17	137.50	
10	142.50	
14	147.50	
7	152.50	
8	157.50	
6	162.50	
4	167.50	
1	172.50	
3	177.50	
2	182.50	
2	187.50	
5	192.50	
1	197.50	
1	202.50	
0	207.50	
2	212.50	
1	217.50	
0	222.50	
0	227.50	
0	232.50	
1	237.50	
0	242.50	

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:03 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 29.240 Std dev 25.839

Valid cases 39680 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:04 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .52 seconds CPU time; 7.07 seconds elapsed.

```
223 0 TEMPORARY
224 0 SELECT IF      (SCIN34 EQ 1)
225 0 /*
226 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   GPs
227 0 /*
228 0 FREQUENCIES      VARIABLES=PERWEEK/
229 0                  FORMAT=CONDENSE/
230 0                  HISTOGRAM=INCREMENT (5)/
231 0                  STATISTICS=MEAN STDDEV
232 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:06 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	2863	12	12	47.00	285	1	77	94.00	30	0	99
1.00	738	3	15	48.00	275	1	78	95.00	30	0	99
2.00	453	2	16	49.00	254	1	79	96.00	30	0	99
3.00	397	2	18	50.00	246	1	80	97.00	17	0	99
4.00	365	1	20	51.00	221	1	81	98.00	19	0	99
5.00	368	1	21	52.00	230	1	82	99.00	21	0	99
6.00	345	1	22	53.00	229	1	82	100.00	18	0	99
7.00	323	1	24	54.00	221	1	83	101.00	11	0	99
8.00	321	1	25	55.00	196	1	84	102.00	15	0	99
9.00	327	1	26	56.00	200	1	85	103.00	18	0	99
10.00	350	1	28	57.00	169	1	86	104.00	7	0	99
11.00	315	1	29	58.00	168	1	86	105.00	10	0	99
12.00	302	1	30	59.00	195	1	87	106.00	10	0	99
13.00	297	1	32	60.00	168	1	88	107.00	11	0	99
14.00	303	1	33	61.00	144	1	88	108.00	11	0	100
15.00	290	1	34	62.00	134	1	89	109.00	6	0	100
16.00	329	1	35	63.00	157	1	90	110.00	9	0	100
17.00	318	1	37	64.00	112	0	90	111.00	6	0	100
18.00	314	1	38	65.00	131	1	91	112.00	12	0	100
19.00	322	1	39	66.00	126	1	91	113.00	4	0	100
20.00	340	1	41	67.00	129	1	92	114.00	5	0	100
21.00	331	1	42	68.00	124	1	92	115.00	6	0	100
22.00	292	1	43	69.00	115	0	93	116.00	6	0	100
23.00	288	1	44	70.00	90	0	93	117.00	3	0	100
24.00	292	1	45	71.00	111	0	93	118.00	5	0	100
25.00	287	1	47	72.00	86	0	94	119.00	2	0	100
26.00	351	1	48	73.00	86	0	94	120.00	2	0	100
27.00	323	1	49	74.00	87	0	94	121.00	5	0	100
28.00	344	1	51	75.00	106	0	95	122.00	3	0	100
29.00	360	1	52	76.00	76	0	95	123.00	3	0	100
30.00	345	1	54	77.00	79	0	96	124.00	2	0	100
31.00	391	2	55	78.00	69	0	96	125.00	6	0	100
32.00	362	1	57	79.00	63	0	96	126.00	1	0	100
33.00	340	1	58	80.00	64	0	96	127.00	4	0	100
34.00	330	1	59	81.00	52	0	97	128.00	1	0	100
35.00	356	1	61	82.00	46	0	97	129.00	2	0	100
36.00	358	1	62	83.00	55	0	97	130.00	1	0	100
37.00	342	1	64	84.00	56	0	97	131.00	2	0	100
38.00	338	1	65	85.00	36	0	97	132.00	2	0	100
39.00	341	1	67	86.00	38	0	97	134.00	2	0	100
40.00	324	1	68	87.00	44	0	98	135.00	1	0	100
41.00	340	1	69	88.00	34	0	98	136.00	1	0	100
42.00	340	1	71	89.00	42	0	98	137.00	1	0	100
43.00	278	1	72	90.00	42	0	98	139.00	2	0	100
44.00	309	1	73	91.00	33	0	98	140.00	1	0	100
45.00	301	1	74	92.00	26	0	98	144.00	2	0	100
46.00	286	1	75	93.00	27	0	98	146.00	1	0	100


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:07 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
147.00	1	0	100	151.00	1	0	100	163.00	2	0	100
149.00	1	0	100	156.00	1	0	100	164.00	2	0	100
150.00	1	0	100	158.00	1	0	100	214.00	1	0	100

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:07 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:08 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Mean 30.371 Std dev 24.929

Valid cases 24584 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:09 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .50 seconds CPU time; 4.62 seconds elapsed.

```
233 0 TEMPORARY
234 0 SELECT IF          (SCIN34 EQ 2)
235 0 /*
236 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   FACIO-MAX SURGEONS
237 0 /*
238 0 FREQUENCIES        VARIABLES=PERWEEK/
239 0                    FORMAT=CONDENSE/
240 0                    HISTOGRAM=INCREMENT (5)/
241 0                    STATISTICS=MEAN STDDEV
242 0 /*
```

There are 1,073,640,320 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:09 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	20	14	14	9.00	9	6	71	19.00	3	2	94
1.00	13	9	23	10.00	4	3	74	20.00	2	1	96
2.00	11	8	30	11.00	5	3	77	21.00	2	1	97
3.00	14	10	40	12.00	5	3	81	22.00	1	1	98
4.00	13	9	49	13.00	4	3	83	27.00	1	1	99
5.00	8	6	54	14.00	2	1	85	29.00	1	1	99
6.00	4	3	57	15.00	3	2	87	32.00	1	1	100
7.00	6	4	61	16.00	5	3	90				
8.00	5	3	65	18.00	3	2	92				

Count Midpoint One symbol equals approximately 1.50 occurrences



Mean 7.028 Std dev 6.708

Valid cases 145 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:10 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .31 seconds CPU time; 1.13 seconds elapsed.

```
243 0 TEMPORARY
244 0 SELECT IF      (SCIN34 EQ 3)
245 0 /*
246 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  OBSTETRICIANS & GYNAECOLOGISTS
247 0 /*
248 0 FREQUENCIES    VARIABLES=PERWEEK/
249 0                FORMAT=CONDENSE/
250 0                HISTOGRAM=INCREMENT (5)/
251 0                STATISTICS=MEAN STDDEV
252 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:11 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED


Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	69	7	7	37.00	11	1	57	74.00	10	1	93
1.00	34	3	10	38.00	13	1	58	75.00	4	0	93
2.00	16	2	12	39.00	14	1	60	76.00	6	1	94
3.00	18	2	14	40.00	13	1	61	77.00	4	0	94
4.00	17	2	16	41.00	11	1	62	78.00	3	0	94
5.00	14	1	17	42.00	13	1	63	79.00	2	0	95
6.00	10	1	18	43.00	12	1	65	80.00	3	0	95
7.00	19	2	20	44.00	16	2	66	81.00	3	0	95
8.00	12	1	21	45.00	15	2	68	82.00	5	1	96
9.00	14	1	23	46.00	12	1	69	85.00	1	0	96
10.00	9	1	24	47.00	11	1	70	86.00	2	0	96
11.00	10	1	25	48.00	9	1	71	87.00	1	0	96
12.00	13	1	26	49.00	10	1	72	88.00	1	0	96
13.00	10	1	27	50.00	12	1	73	89.00	1	0	96
14.00	11	1	28	51.00	20	2	75	90.00	4	0	97
15.00	7	1	29	52.00	11	1	76	91.00	2	0	97
16.00	10	1	30	53.00	11	1	77	93.00	1	0	97
17.00	9	1	31	54.00	11	1	79	94.00	1	0	97
18.00	11	1	32	55.00	11	1	80	95.00	1	0	97
19.00	4	0	32	56.00	7	1	80	96.00	1	0	97
20.00	16	2	34	57.00	6	1	81	97.00	1	0	97
21.00	11	1	35	58.00	9	1	82	98.00	1	0	98
22.00	12	1	36	59.00	9	1	83	99.00	2	0	98
23.00	9	1	37	60.00	7	1	84	100.00	2	0	98
24.00	17	2	39	61.00	6	1	84	101.00	1	0	98
25.00	15	2	40	62.00	5	1	85	104.00	2	0	98
26.00	6	1	41	63.00	9	1	86	106.00	4	0	99
27.00	13	1	42	64.00	7	1	86	107.00	3	0	99
28.00	19	2	44	65.00	11	1	87	108.00	1	0	99
29.00	12	1	45	66.00	6	1	88	111.00	1	0	99
30.00	18	2	47	67.00	8	1	89	112.00	1	0	99
31.00	12	1	48	68.00	8	1	90	113.00	1	0	99
32.00	17	2	50	69.00	2	0	90	120.00	2	0	100
33.00	13	1	51	70.00	4	0	90	124.00	2	0	100
34.00	13	1	53	71.00	6	1	91	127.00	1	0	100
35.00	15	2	54	72.00	6	1	91	130.00	1	0	100
36.00	14	1	56	73.00	2	0	92				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:12 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Count Midpoint One symbol equals approximately 4.00 occurrences

154	2.50	*****
69	7.50	*****
53	12.50	*****
41	17.50	*****
65	22.50	*****
65	27.50	*****
73	32.50	*****
67	37.50	*****
65	42.50	*****
57	47.50	*****
65	52.50	*****
42	57.50	*****
34	62.50	*****
35	67.50	*****
28	72.50	*****
19	77.50	*****
11	82.50	***
6	87.50	**
8	92.50	**
6	97.50	**
5	102.50	*
8	107.50	**
3	112.50	*
0	117.50	
4	122.50	*
2	127.50	*



Mean 34.776 Std dev 26.430

Valid cases 985 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:13 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .30 seconds CPU time; 2.91 seconds elapsed.

```
253 0 TEMPORARY
254 0 SELECT IF      (SCIN34 EQ 4)
255 0 /*
256 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  GENERAL SURGEONS
257 0 /*
258 0 FREQUENCIES      VARIABLES=PERWEEK/
259 0                  FORMAT=CONDENSE/
260 0                  HISTOGRAM=INCREMENT (5)/
261 0                  STATISTICS=MEAN STDDEV
262 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:15 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED


Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	120	10	10	33.00	21	2	66	66.00	2	0	96
1.00	65	5	15	34.00	20	2	68	67.00	2	0	96
2.00	45	4	19	35.00	14	1	69	68.00	3	0	97
3.00	26	2	21	36.00	18	1	71	69.00	3	0	97
4.00	28	2	24	37.00	21	2	72	72.00	2	0	97
5.00	17	1	25	38.00	21	2	74	73.00	2	0	97
6.00	23	2	27	39.00	13	1	75	74.00	1	0	97
7.00	23	2	29	40.00	21	2	77	75.00	1	0	97
8.00	24	2	31	41.00	14	1	78	76.00	1	0	97
9.00	15	1	32	42.00	15	1	79	77.00	2	0	98
10.00	8	1	33	43.00	16	1	81	78.00	2	0	98
11.00	18	1	34	44.00	16	1	82	79.00	1	0	98
12.00	13	1	35	45.00	10	1	83	80.00	1	0	98
13.00	18	1	37	46.00	9	1	83	81.00	1	0	98
14.00	18	1	38	47.00	11	1	84	82.00	2	0	98
15.00	14	1	39	48.00	11	1	85	85.00	1	0	98
16.00	12	1	40	49.00	11	1	86	87.00	2	0	98
17.00	14	1	42	50.00	14	1	87	88.00	2	0	99
18.00	12	1	43	51.00	8	1	88	90.00	2	0	99
19.00	16	1	44	52.00	10	1	89	92.00	2	0	99
20.00	20	2	46	53.00	11	1	90	93.00	1	0	99
21.00	20	2	47	54.00	6	0	90	94.00	1	0	99
22.00	21	2	49	55.00	8	1	91	98.00	1	0	99
23.00	18	1	50	56.00	13	1	92	99.00	1	0	99
24.00	18	1	52	57.00	5	0	92	103.00	1	0	99
25.00	20	2	54	58.00	4	0	93	105.00	1	0	99
26.00	15	1	55	59.00	6	0	93	106.00	1	0	100
27.00	20	2	57	60.00	2	0	93	107.00	1	0	100
28.00	24	2	59	61.00	6	0	94	111.00	1	0	100
29.00	20	2	60	62.00	9	1	95	114.00	1	0	100
30.00	14	1	61	63.00	11	1	96	118.00	1	0	100
31.00	26	2	63	64.00	4	0	96	147.00	1	0	100
32.00	12	1	64	65.00	1	0	96	157.00	1	0	100

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:16 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Count Midpoint One symbol equals approximately 8.00 occurrences

284	2.50	*****
102	7.50	*****
75	12.50	*****
68	17.50	*****
97	22.50	*****
99	27.50	*****
93	32.50	*****
87	37.50	*****
82	42.50	*****
52	47.50	*****
49	52.50	*****
36	57.50	*****
32	62.50	*****
11	67.50	*
5	72.50	*
7	77.50	*
4	82.50	*
5	87.50	*
6	92.50	*
2	97.50	
1	102.50	
3	107.50	
2	112.50	
1	117.50	
0	122.50	
0	127.50	
0	132.50	
0	137.50	
0	142.50	
1	147.50	
0	152.50	
1	157.00	



Mean 25.578 Std dev 22.263

Valid cases 1205 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:17 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .26 seconds CPU time; 3.41 seconds elapsed.

```
263 0 TEMPORARY
264 0 SELECT IF      (SCIN34 EQ 5)
265 0 /*
266 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    CARDIO-THORACIC SURGEONS
267 0 /*
268 0 FREQUENCIES      VARIABLES=PERWEEK/
269 0                  FORMAT=CONDENSE/
270 0                  HISTOGRAM=INCREMENT (5)/
271 0                  STATISTICS=MEAN STDDEV
272 0 /*
```

There are 1,073,640,320 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:17 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	5	5	5	17.00	2	2	44	36.00	2	2	79
1.00	3	3	8	18.00	2	2	46	37.00	2	2	81
2.00	2	2	10	19.00	5	5	51	38.00	2	2	83
3.00	3	3	13	20.00	1	1	52	39.00	2	2	85
4.00	1	1	14	21.00	1	1	53	40.00	2	2	87
6.00	9	9	23	22.00	1	1	54	42.00	2	2	89
7.00	1	1	24	23.00	2	2	56	43.00	2	2	91
8.00	1	1	25	24.00	3	3	59	44.00	1	1	92
9.00	2	2	26	25.00	4	4	63	46.00	2	2	94
10.00	4	4	30	26.00	3	3	66	47.00	1	1	95
11.00	3	3	33	27.00	2	2	68	48.00	1	1	96
12.00	1	1	34	28.00	3	3	71	50.00	1	1	97
13.00	3	3	37	30.00	1	1	72	57.00	1	1	98
14.00	3	3	40	31.00	4	4	75	60.00	1	1	99
15.00	1	1	41	33.00	1	1	76	82.00	1	1	100
16.00	1	1	42	35.00	1	1	77				

Count Midpoint One symbol equals approximately .40 occurrences



Mean 21.745 Std dev 16.008

Valid cases 102 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:19 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .34 seconds CPU time; 2.16 seconds elapsed.

```
273 0 TEMPORARY
274 0 SELECT IF      (SCIN34 EQ 6)
275 0 /*
276 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  NEUROSURGEONS
277 0 /*
278 0 FREQUENCIES      VARIABLES=PERWEEK/
279 0                  FORMAT=CONDENSE/
280 0                  HISTOGRAM=INCREMENT (5)/
281 0                  STATISTICS=MEAN STDDEV
282 0 /*
```


There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:20 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	9	8	8	15.00	4	4	46	30.00	3	3	85
1.00	3	3	11	16.00	1	1	47	31.00	1	1	85
2.00	3	3	14	17.00	1	1	48	34.00	3	3	88
4.00	1	1	15	18.00	3	3	51	35.00	2	2	90
5.00	1	1	15	19.00	7	6	57	36.00	1	1	91
6.00	4	4	19	20.00	6	5	63	37.00	1	1	92
7.00	2	2	21	22.00	5	5	67	38.00	1	1	93
8.00	2	2	23	23.00	1	1	68	39.00	2	2	95
9.00	3	3	25	24.00	1	1	69	40.00	2	2	96
10.00	5	5	30	25.00	2	2	71	43.00	1	1	97
11.00	3	3	33	26.00	5	5	75	46.00	1	1	98
12.00	2	2	35	27.00	1	1	76	50.00	1	1	99
13.00	4	4	38	28.00	1	1	77	52.00	1	1	100
14.00	5	5	43	29.00	5	5	82				



Mean 18.345 Std dev 12.404
 Valid cases 110 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:21 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .28 seconds CPU time; 1.56 seconds elapsed.

```
283 0 TEMPORARY
284 0 SELECT IF      (SCIN34 EQ 7)
285 0 /*
286 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  ORTHOPAEDIC SURGEONS
287 0 /*
288 0 FREQUENCIES      VARIABLES=PERWEEK/
289 0                  FORMAT=CONDENSE/
290 0                  HISTOGRAM=INCREMENT (5)/
291 0                  STATISTICS=MEAN STDDEV
292 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:22 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	36	5	5	27.00	13	2	53	54.00	7	1	94
1.00	19	3	8	28.00	20	3	56	55.00	3	0	95
2.00	17	2	10	29.00	12	2	58	56.00	2	0	95
3.00	8	1	12	30.00	14	2	60	57.00	3	0	95
4.00	8	1	13	31.00	16	2	62	58.00	3	0	96
5.00	11	2	14	32.00	16	2	65	59.00	1	0	96
6.00	15	2	17	33.00	17	2	67	61.00	2	0	96
7.00	10	1	18	34.00	17	2	69	62.00	4	1	97
8.00	6	1	19	35.00	17	2	72	63.00	2	0	97
9.00	4	1	19	36.00	17	2	74	64.00	1	0	97
10.00	8	1	21	37.00	14	2	76	65.00	1	0	97
11.00	9	1	22	38.00	10	1	78	67.00	1	0	98
12.00	12	2	24	39.00	12	2	80	69.00	1	0	98
13.00	9	1	25	40.00	11	2	81	70.00	2	0	98
14.00	12	2	27	41.00	13	2	83	71.00	2	0	98
15.00	15	2	29	42.00	9	1	84	74.00	2	0	99
16.00	14	2	31	43.00	7	1	85	75.00	1	0	99
17.00	12	2	33	44.00	4	1	86	77.00	1	0	99
18.00	10	1	34	45.00	6	1	87	78.00	2	0	99
19.00	8	1	35	46.00	4	1	88	79.00	1	0	99
20.00	13	2	37	47.00	2	0	88	81.00	1	0	99
21.00	11	2	39	48.00	11	2	89	82.00	1	0	100
22.00	14	2	41	49.00	6	1	90	101.00	1	0	100
23.00	19	3	44	50.00	7	1	91	104.00	1	0	100
24.00	15	2	46	51.00	4	1	92	115.00	1	0	100
25.00	17	2	48	52.00	6	1	93				
26.00	21	3	51	53.00	3	0	93				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:23 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 26.613 Std dev 17.934

Valid cases 688 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:24 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .36 seconds CPU time; 3.18 seconds elapsed.

```
293 0 TEMPORARY
294 0 SELECT IF      (SCIN34 EQ 8)
295 0 /*
296 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    PAEDIATRIC SURGEONS
297 0 /*
298 0 FREQUENCIES      VARIABLES=PERWEEK/
299 0                  FORMAT=CONDENSE/
300 0                  HISTOGRAM=INCREMENT (5)/
301 0                  STATISTICS=MEAN STDDEV
302 0 /*
```

There are 1,073,640,320 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:25 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	5	10	10	13.00	3	6	48	34.00	1	2	83
1.00	1	2	13	15.00	3	6	54	40.00	1	2	85
2.00	2	4	17	16.00	3	6	60	41.00	1	2	88
4.00	2	4	21	20.00	2	4	65	42.00	1	2	90
5.00	1	2	23	21.00	2	4	69	48.00	1	2	92
6.00	1	2	25	26.00	2	4	73	52.00	1	2	94
7.00	2	4	29	27.00	1	2	75	57.00	1	2	96
8.00	2	4	33	29.00	1	2	77	59.00	1	2	98
10.00	2	4	38	30.00	1	2	79	72.00	1	2	100
12.00	2	4	42	33.00	1	2	81				

Count Midpoint One symbol equals approximately .20 occurrences



Mean 19.333 Std dev 17.589

Valid cases 48 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:26 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .32 seconds CPU time; 1.53 seconds elapsed.

```
303 0 TEMPORARY
304 0 SELECT IF      (SCIN34 EQ 9)
305 0 /*
306 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    PLASTIC SURGEONS
307 0 /*
308 0 FREQUENCIES      VARIABLES=PERWEEK/
309 0                  FORMAT=CONDENSE/
310 0                  HISTOGRAM=INCREMENT (5)/
311 0                  STATISTICS=MEAN STDDEV
312 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:27 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	5	2	2	30.00	7	3	39	62.00	3	1	86
1.00	5	2	4	31.00	7	3	42	63.00	1	0	86
2.00	6	3	7	32.00	5	2	44	64.00	2	1	87
3.00	2	1	8	33.00	6	3	47	65.00	3	1	88
5.00	3	1	9	34.00	3	1	48	66.00	1	0	89
6.00	2	1	10	35.00	7	3	51	68.00	2	1	90
8.00	2	1	11	36.00	6	3	54	69.00	1	0	90
9.00	2	1	12	37.00	3	1	55	70.00	1	0	91
10.00	1	0	12	38.00	4	2	57	74.00	1	0	91
11.00	2	1	13	39.00	7	3	60	77.00	1	0	92
12.00	1	0	14	40.00	3	1	61	78.00	1	0	92
13.00	3	1	15	41.00	3	1	63	80.00	1	0	92
14.00	1	0	16	42.00	1	0	63	82.00	1	0	93
15.00	2	1	16	43.00	4	2	65	83.00	1	0	93
16.00	1	0	17	44.00	1	0	65	84.00	1	0	94
17.00	3	1	18	45.00	3	1	67	86.00	2	1	95
18.00	4	2	20	46.00	3	1	68	89.00	2	1	96
19.00	2	1	21	47.00	7	3	71	94.00	1	0	96
20.00	3	1	22	48.00	7	3	74	97.00	1	0	96
21.00	1	0	23	49.00	6	3	77	106.00	1	0	97
22.00	2	1	24	50.00	2	1	78	108.00	1	0	97
23.00	2	1	24	51.00	2	1	79	115.00	1	0	98
24.00	4	2	26	52.00	3	1	80	121.00	1	0	98
25.00	1	0	27	53.00	2	1	81	124.00	1	0	99
26.00	9	4	31	54.00	2	1	82	128.00	1	0	99
27.00	4	2	32	55.00	4	2	84	129.00	1	0	100
28.00	5	2	35	56.00	1	0	84	146.00	1	0	100
29.00	2	1	36	58.00	1	0	84				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:27 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 38.809 Std dev 26.211

Valid cases 225 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:28 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .30 seconds CPU time; 2.13 seconds elapsed.

```
313 0 TEMPORARY
314 0 SELECT IF      (SCIN34 EQ 10)
315 0 /*
316 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  UROLOGISTS
317 0 /*
318 0 FREQUENCIES      VARIABLES=PERWEEK/
319 0                  FORMAT=CONDENSE/
320 0                  HISTOGRAM=INCREMENT (5)/
321 0                  STATISTICS=MEAN STDDEV
322 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:29 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED


Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	11	5	5	27.00	7	3	35	52.00	3	1	81
1.00	3	1	6	28.00	3	1	36	53.00	1	0	82
2.00	4	2	8	29.00	3	1	38	54.00	2	1	83
3.00	3	1	9	30.00	3	1	39	55.00	3	1	84
4.00	2	1	10	31.00	2	1	40	56.00	5	2	86
5.00	3	1	11	32.00	7	3	43	57.00	3	1	87
6.00	4	2	13	33.00	9	4	47	58.00	2	1	88
7.00	3	1	14	34.00	4	2	48	59.00	3	1	89
8.00	1	0	14	35.00	8	3	52	60.00	1	0	90
9.00	1	0	15	36.00	4	2	53	61.00	2	1	91
10.00	2	1	16	37.00	3	1	55	62.00	2	1	92
11.00	2	1	17	38.00	6	3	57	63.00	5	2	94
13.00	5	2	19	39.00	6	3	60	64.00	1	0	94
14.00	1	0	19	40.00	4	2	61	67.00	2	1	95
15.00	3	1	20	41.00	4	2	63	69.00	2	1	96
16.00	3	1	22	42.00	2	1	64	73.00	1	0	96
17.00	2	1	22	43.00	2	1	65	76.00	1	0	97
18.00	2	1	23	44.00	11	5	69	79.00	1	0	97
19.00	1	0	24	45.00	3	1	71	82.00	1	0	97
20.00	5	2	26	46.00	4	2	72	90.00	2	1	98
22.00	2	1	27	47.00	2	1	73	97.00	1	0	99
23.00	3	1	28	48.00	9	4	77	106.00	1	0	99
24.00	4	2	30	49.00	2	1	78	110.00	1	0	100
25.00	4	2	31	50.00	3	1	79	140.00	1	0	100
26.00	2	1	32	51.00	2	1	80				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:30 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Count Midpoint One symbol equals approximately .60 occurrences

23	2.50	*****
12	7.50	*****
10	12.50	*****
11	17.50	*****
14	22.50	*****
19	27.50	*****
25	32.50	*****
27	37.50	*****
23	42.50	*****
20	47.50	*****
11	52.50	*****
16	57.50	*****
11	62.50	*****
4	67.50	*****
1	72.50	**
2	77.50	***
1	82.50	**
0	87.50	
2	92.50	***
1	97.50	**
0	102.50	
1	107.50	**
1	112.50	**
0	117.50	
0	122.50	
0	127.50	
0	132.50	
1	137.50	**



Mean 35.314 Std dev 22.183

Valid cases 236 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:31 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .38 seconds CPU time; 2.18 seconds elapsed.

```
323 0 TEMPORARY
324 0 SELECT IF      (SCIN34 EQ 11)
325 0 /*
326 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  VASCULAR SURGEONS
327 0 /*
328 0 FREQUENCIES    VARIABLES=PERWEEK/
329 0                FORMAT=CONDENSE/
330 0                HISTOGRAM=INCREMENT (5)/
331 0                STATISTICS=MEAN STDDEV
332 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:33 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED


Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	4	4	4	20.00	2	2	41	42.00	1	1	81
1.00	5	4	8	21.00	3	3	44	43.00	1	1	82
2.00	1	1	9	22.00	3	3	46	44.00	1	1	82
3.00	2	2	11	23.00	3	3	49	46.00	1	1	83
4.00	1	1	11	24.00	3	3	52	47.00	2	2	85
5.00	1	1	12	25.00	1	1	53	48.00	1	1	86
6.00	1	1	13	26.00	2	2	54	50.00	1	1	87
7.00	3	3	16	27.00	2	2	56	51.00	3	3	89
8.00	2	2	18	28.00	7	6	62	55.00	1	1	90
9.00	2	2	19	29.00	4	4	66	58.00	1	1	91
10.00	2	2	21	31.00	4	4	69	59.00	1	1	92
12.00	2	2	23	32.00	2	2	71	60.00	1	1	93
13.00	3	3	25	33.00	1	1	72	61.00	2	2	95
14.00	1	1	26	36.00	1	1	73	65.00	1	1	96
15.00	3	3	29	37.00	1	1	74	70.00	1	1	96
16.00	5	4	33	38.00	1	1	75	83.00	1	1	97
17.00	1	1	34	39.00	2	2	76	84.00	1	1	98
18.00	3	3	37	40.00	2	2	78	89.00	1	1	99
19.00	3	3	39	41.00	2	2	80	109.00	1	1	100

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:34 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Count Midpoint One symbol equals approximately .40 occurrences

13	2.50	*****
9	7.50	*****
8	12.50	*****
15	17.50	*****
14	22.50	*****
16	27.50	*****
7	32.50	*****
5	37.50	*****
7	42.50	*****
4	47.50	*****
4	52.50	*****
3	57.50	*****
3	62.50	*****
1	67.50	***
1	72.50	***
0	77.50	
2	82.50	*****
1	87.50	***
0	92.50	
0	97.50	
0	102.50	
1	107.50	***



Mean 27.474 Std dev 20.681

Valid cases 114 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:37 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .35 seconds CPU time; 6.02 seconds elapsed.

```
333 0 TEMPORARY
334 0 SELECT IF      (SCIN34 EQ 12)
335 0 /*
336 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   OPHTHALMOLOGISTS
337 0 /*
338 0 FREQUENCIES      VARIABLES=PERWEEK/
339 0                  FORMAT=CONDENSE/
340 0                  HISTOGRAM=INCREMENT (5)/
341 0                  STATISTICS=MEAN STDDEV
342 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:40 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	36	5	5	40.00	10	1	45	80.00	2	0	88
1.00	6	1	6	41.00	9	1	47	81.00	4	1	89
2.00	10	1	7	42.00	8	1	48	82.00	4	1	89
3.00	9	1	9	43.00	12	2	50	83.00	6	1	90
4.00	9	1	10	44.00	19	3	52	84.00	4	1	91
5.00	6	1	11	45.00	14	2	54	85.00	5	1	91
6.00	8	1	12	46.00	6	1	55	86.00	2	0	92
7.00	7	1	13	47.00	11	2	57	87.00	1	0	92
8.00	8	1	14	48.00	8	1	58	88.00	5	1	92
9.00	8	1	15	49.00	12	2	60	89.00	1	0	93
10.00	9	1	17	50.00	9	1	61	90.00	5	1	93
11.00	8	1	18	51.00	13	2	63	91.00	4	1	94
12.00	3	0	18	52.00	11	2	64	92.00	3	0	94
13.00	3	0	19	53.00	7	1	65	93.00	1	0	94
14.00	3	0	19	54.00	6	1	66	95.00	1	0	95
15.00	4	1	20	55.00	6	1	67	96.00	2	0	95
16.00	2	0	20	56.00	9	1	68	97.00	1	0	95
17.00	4	1	20	57.00	9	1	70	98.00	1	0	95
18.00	9	1	22	58.00	7	1	71	99.00	5	1	96
19.00	4	1	22	59.00	8	1	72	100.00	4	1	96
20.00	12	2	24	60.00	13	2	74	101.00	1	0	97
21.00	6	1	25	61.00	11	2	75	102.00	1	0	97
22.00	10	1	26	62.00	5	1	76	103.00	3	0	97
23.00	5	1	27	63.00	5	1	77	104.00	2	0	97
24.00	3	0	27	64.00	7	1	78	106.00	1	0	98
25.00	7	1	28	65.00	6	1	79	110.00	2	0	98
26.00	8	1	30	66.00	7	1	80	113.00	1	0	98
27.00	6	1	30	67.00	3	0	80	116.00	2	0	98
28.00	3	0	31	68.00	6	1	81	118.00	1	0	98
29.00	6	1	32	69.00	5	1	82	119.00	1	0	99
30.00	8	1	33	70.00	6	1	82	122.00	1	0	99
31.00	3	0	33	71.00	8	1	84	133.00	1	0	99
32.00	9	1	35	72.00	6	1	84	134.00	1	0	99
33.00	10	1	36	73.00	6	1	85	139.00	1	0	99
34.00	12	2	38	74.00	3	0	86	159.00	2	0	99
35.00	5	1	38	75.00	1	0	86	168.00	1	0	100
36.00	12	2	40	76.00	4	1	86	177.00	1	0	100
37.00	9	1	41	77.00	2	0	87	192.00	1	0	100
38.00	6	1	42	78.00	3	0	87	216.00	1	0	100
39.00	12	2	44	79.00	4	1	88				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:42 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:45 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Mean 44.652 Std dev 30.818

Valid cases 699 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:45 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .33 seconds CPU time; 8.14 seconds elapsed.

```
343 0 TEMPORARY
344 0 SELECT IF      (SCIN34 EQ 13)
345 0 /*
346 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR ENT SURGEONS
347 0 /*
348 0 FREQUENCIES    VARIABLES=PERWEEK/
349 0                FORMAT=CONDENSE/
350 0                HISTOGRAM=INCREMENT (5)/
351 0                STATISTICS=MEAN STDDEV
352 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:48 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	23	7	7	50.00	2	1	42	98.00	1	0	84
1.00	4	1	8	51.00	3	1	42	99.00	1	0	85
2.00	10	3	11	52.00	3	1	43	100.00	2	1	85
4.00	2	1	12	53.00	2	1	44	102.00	1	0	86
5.00	3	1	13	54.00	4	1	45	103.00	1	0	86
6.00	2	1	13	55.00	3	1	46	106.00	3	1	87
7.00	2	1	14	56.00	2	1	47	107.00	2	1	87
8.00	4	1	15	57.00	3	1	48	108.00	1	0	88
10.00	4	1	16	58.00	6	2	49	109.00	1	0	88
11.00	4	1	17	59.00	3	1	50	110.00	2	1	89
12.00	2	1	18	60.00	2	1	51	111.00	2	1	89
13.00	1	0	18	61.00	8	2	53	112.00	3	1	90
14.00	2	1	19	62.00	3	1	54	113.00	2	1	91
15.00	2	1	20	63.00	2	1	55	115.00	2	1	91
16.00	2	1	20	64.00	4	1	56	116.00	2	1	92
17.00	1	0	20	66.00	5	2	58	117.00	1	0	92
18.00	2	1	21	67.00	4	1	59	118.00	1	0	92
20.00	1	0	21	68.00	2	1	59	121.00	1	0	93
21.00	1	0	22	69.00	2	1	60	123.00	1	0	93
22.00	1	0	22	70.00	6	2	62	124.00	1	0	93
23.00	4	1	23	71.00	4	1	63	127.00	1	0	94
24.00	1	0	23	72.00	4	1	64	128.00	1	0	94
25.00	2	1	24	73.00	5	2	66	129.00	1	0	94
26.00	2	1	25	74.00	2	1	66	132.00	1	0	95
27.00	3	1	26	75.00	3	1	67	134.00	1	0	95
28.00	2	1	26	76.00	2	1	68	135.00	1	0	95
29.00	1	0	27	77.00	3	1	69	138.00	1	0	95
30.00	4	1	28	78.00	3	1	70	149.00	1	0	96
32.00	1	0	28	79.00	3	1	70	152.00	1	0	96
33.00	4	1	29	80.00	3	1	71	156.00	1	0	96
34.00	2	1	30	82.00	4	1	73	159.00	1	0	97
35.00	2	1	30	83.00	3	1	73	160.00	1	0	97
37.00	2	1	31	84.00	4	1	75	169.00	1	0	97
38.00	5	2	33	86.00	1	0	75	173.00	1	0	98
40.00	3	1	33	87.00	8	2	77	175.00	1	0	98
41.00	2	1	34	88.00	1	0	78	189.00	1	0	98
42.00	1	0	34	89.00	1	0	78	190.00	1	0	98
43.00	3	1	35	91.00	1	0	78	193.00	1	0	99
44.00	3	1	36	92.00	4	1	80	210.00	1	0	99
45.00	3	1	37	93.00	4	1	81	238.00	1	0	99
46.00	1	0	37	94.00	4	1	82	246.00	1	0	100
47.00	2	1	38	95.00	2	1	83	253.00	1	0	100
48.00	3	1	39	96.00	1	0	83				
49.00	7	2	41	97.00	4	1	84				


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:50 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Count	Midpoint	One symbol equals approximately .80 occurrences
39	2.50	*****
11	7.50	*****
13	12.50	*****
7	17.50	*****
8	22.50	*****
10	27.50	*****
11	32.50	*****
9	37.50	*****
12	42.50	*****
16	47.50	*****
14	52.50	*****
17	57.50	*****
19	62.50	*****
13	67.50	*****
21	72.50	*****
14	77.50	*****
14	82.50	*****
11	87.50	*****
13	92.50	*****
9	97.50	*****
4	102.50	*****
7	107.50	*****
9	112.50	*****
6	117.50	*****
3	122.50	****
3	127.50	****
2	132.50	***
2	137.50	***
0	142.50	
1	147.50	*
1	152.50	*
2	157.50	***
1	162.50	*
1	167.50	*
1	172.50	*
1	177.50	*
0	182.50	
1	187.50	*
2	192.50	***
0	197.50	
0	202.50	
0	207.50	
1	212.50	*
0	217.50	
0	222.50	
0	227.50	
0	232.50	
1	237.50	*
0	242.50	

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:52 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 61.003 Std dev 45.246

Valid cases 332 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:52 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .31 seconds CPU time; 6.40 seconds elapsed.

```
353 0 TEMPORARY
354 0 SELECT IF      (SCIN34 EQ 14)
355 0 /*
356 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  ANAESTHETISTS
357 0 /*
358 0 FREQUENCIES      VARIABLES=PERWEEK/
359 0                  FORMAT=CONDENSE/
360 0                  HISTOGRAM=INCREMENT (5)/
361 0                  STATISTICS=MEAN STDDEV
362 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:54 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	109	6	6	38.00	22	1	68	76.00	10	1	96
1.00	104	5	11	39.00	24	1	69	77.00	3	0	96
2.00	75	4	15	40.00	24	1	70	78.00	5	0	96
3.00	60	3	18	41.00	17	1	71	79.00	4	0	96
4.00	46	2	20	42.00	24	1	72	80.00	5	0	96
5.00	59	3	23	43.00	17	1	73	81.00	5	0	97
6.00	31	2	24	44.00	16	1	74	82.00	3	0	97
7.00	41	2	27	45.00	21	1	75	83.00	5	0	97
8.00	39	2	29	46.00	19	1	76	84.00	6	0	97
9.00	29	1	30	47.00	22	1	77	85.00	3	0	98
10.00	43	2	32	48.00	24	1	78	86.00	4	0	98
11.00	37	2	34	49.00	24	1	79	87.00	4	0	98
12.00	36	2	36	50.00	17	1	80	88.00	2	0	98
13.00	26	1	37	51.00	22	1	81	89.00	1	0	98
14.00	26	1	38	52.00	16	1	82	90.00	2	0	98
15.00	31	2	40	53.00	21	1	83	91.00	2	0	98
16.00	28	1	41	54.00	16	1	84	92.00	3	0	98
17.00	23	1	43	55.00	20	1	85	93.00	4	0	99
18.00	32	2	44	56.00	27	1	86	94.00	2	0	99
19.00	20	1	45	57.00	11	1	87	95.00	3	0	99
20.00	21	1	46	58.00	13	1	88	96.00	2	0	99
21.00	30	2	48	59.00	10	1	88	97.00	3	0	99
22.00	31	2	49	60.00	19	1	89	98.00	2	0	99
23.00	15	1	50	61.00	12	1	90	99.00	2	0	99
24.00	15	1	51	62.00	11	1	90	100.00	1	0	99
25.00	28	1	52	63.00	9	0	91	103.00	1	0	99
26.00	21	1	53	64.00	7	0	91	104.00	1	0	99
27.00	30	2	55	65.00	11	1	92	106.00	1	0	100
28.00	24	1	56	66.00	12	1	92	107.00	1	0	100
29.00	23	1	57	67.00	8	0	93	110.00	1	0	100
30.00	25	1	59	68.00	6	0	93	111.00	1	0	100
31.00	20	1	60	69.00	5	0	93	112.00	1	0	100
32.00	18	1	60	70.00	9	0	94	113.00	1	0	100
33.00	25	1	62	71.00	7	0	94	119.00	1	0	100
34.00	28	1	63	72.00	4	0	94	122.00	1	0	100
35.00	28	1	65	73.00	3	0	94	134.00	1	0	100
36.00	24	1	66	74.00	8	0	95	141.00	1	0	100
37.00	15	1	67	75.00	5	0	95				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:56 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 28.451 Std dev 24.652
 Valid cases 1977 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:18:58 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .36 seconds CPU time; 4.87 seconds elapsed.

```
363 0 TEMPORARY
364 0 SELECT IF      (SCIN34 EQ 15)
365 0 /*
366 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  DERMATOLOGISTS
367 0 /*
368 0 FREQUENCIES      VARIABLES=PERWEEK/
369 0                  FORMAT=CONDENSE/
370 0                  HISTOGRAM=INCREMENT (5)/
371 0                  STATISTICS=MEAN STDDEV
372 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:18:59 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED


Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	16	5	5	43.00	2	1	37	85.00	6	2	80
1.00	1	0	6	44.00	2	1	37	86.00	2	1	80
2.00	1	0	6	45.00	5	2	39	87.00	1	0	81
4.00	3	1	7	47.00	4	1	40	88.00	1	0	81
5.00	1	0	8	48.00	3	1	41	89.00	1	0	81
6.00	1	0	8	49.00	2	1	42	90.00	3	1	82
7.00	1	0	8	50.00	2	1	43	91.00	1	0	83
8.00	1	0	9	52.00	1	0	43	92.00	3	1	84
9.00	1	0	9	53.00	2	1	44	93.00	1	0	84
10.00	3	1	10	54.00	5	2	45	94.00	3	1	85
11.00	1	0	10	55.00	4	1	47	95.00	2	1	86
12.00	1	0	11	56.00	3	1	48	96.00	3	1	87
13.00	3	1	12	57.00	5	2	49	97.00	2	1	87
14.00	1	0	12	59.00	3	1	51	98.00	4	1	89
15.00	1	0	12	60.00	2	1	51	99.00	2	1	89
16.00	3	1	13	61.00	5	2	53	100.00	1	0	90
17.00	4	1	15	62.00	1	0	53	103.00	1	0	90
18.00	2	1	15	63.00	3	1	54	104.00	3	1	91
20.00	3	1	16	64.00	3	1	55	105.00	2	1	92
21.00	4	1	18	65.00	4	1	57	108.00	1	0	92
22.00	2	1	18	66.00	4	1	58	110.00	1	0	92
23.00	4	1	20	67.00	4	1	59	111.00	1	0	93
24.00	1	0	20	68.00	3	1	60	113.00	2	1	94
25.00	1	0	20	69.00	6	2	62	116.00	1	0	94
26.00	2	1	21	70.00	2	1	63	118.00	3	1	95
27.00	2	1	22	71.00	6	2	65	119.00	1	0	95
28.00	3	1	23	72.00	4	1	67	123.00	1	0	96
30.00	2	1	24	73.00	3	1	68	124.00	2	1	96
31.00	2	1	24	74.00	2	1	68	128.00	1	0	97
32.00	2	1	25	75.00	2	1	69	131.00	2	1	97
33.00	4	1	26	76.00	3	1	70	132.00	1	0	98
34.00	4	1	28	77.00	2	1	71	140.00	1	0	98
35.00	4	1	29	78.00	1	0	71	145.00	1	0	98
36.00	2	1	30	79.00	6	2	73	147.00	2	1	99
37.00	3	1	31	80.00	3	1	74	149.00	1	0	99
38.00	1	0	31	81.00	3	1	75	165.00	1	0	100
39.00	4	1	32	82.00	3	1	76	201.00	1	0	100
40.00	6	2	34	83.00	3	1	77				
41.00	4	1	36	84.00	1	0	77				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:01 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Count Midpoint One symbol equals approximately .50 occurrences

21	2.50	*****
5	7.50	*****
9	12.50	*****
10	17.50	*****
14	22.50	*****
8	27.50	*****
14	32.50	*****
14	37.50	*****
14	42.50	*****
14	47.50	*****
10	52.50	*****
15	57.50	*****
14	62.50	*****
21	67.50	*****
17	72.50	*****
14	77.50	*****
13	82.50	*****
11	87.50	*****
11	92.50	*****
13	97.50	*****
5	102.50	*****
3	107.50	*****
4	112.50	*****
5	117.50	*****
3	122.50	*****
1	127.50	**
3	132.50	*****
0	137.50	
1	142.50	**
4	147.50	*****
0	152.50	
0	157.50	
0	162.50	
1	167.50	**
0	172.50	
0	177.50	
0	182.50	
0	187.50	
0	192.50	
0	197.50	
1	201.00	**



Mean 58.515 Std dev 35.882

Valid cases 293 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:03 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .39 seconds CPU time; 5.47 seconds elapsed.

```
373 0 TEMPORARY
374 0 SELECT IF          (SCIN34 EQ 16)
375 0 /*
376 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    IVF SPECIALISTS
377 0 /*
378 0 FREQUENCIES          VARIABLES=PERWEEK/
379 0                      FORMAT=CONDENSE/
380 0                      HISTOGRAM=INCREMENT (5)/
381 0                      STATISTICS=MEAN STDDEV
382 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:05 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	1	1	1	44.00	1	1	38	92.00	1	1	69
1.00	3	4	5	45.00	1	1	39	93.00	1	1	70
5.00	1	1	6	50.00	2	3	41	94.00	1	1	71
6.00	1	1	8	52.00	1	1	43	95.00	2	3	74
10.00	2	3	10	53.00	1	1	44	101.00	1	1	75
12.00	1	1	11	59.00	1	1	45	103.00	1	1	76
16.00	1	1	13	60.00	1	1	46	105.00	4	5	81
18.00	1	1	14	63.00	1	1	48	108.00	1	1	83
19.00	2	3	16	64.00	2	3	50	114.00	1	1	84
22.00	1	1	18	67.00	1	1	51	115.00	1	1	85
23.00	1	1	19	70.00	3	4	55	117.00	1	1	86
26.00	1	1	20	71.00	1	1	56	119.00	1	1	88
28.00	1	1	21	72.00	1	1	57	128.00	2	3	90
30.00	1	1	23	74.00	1	1	59	129.00	1	1	91
33.00	1	1	24	76.00	1	1	60	136.00	1	1	93
34.00	1	1	25	78.00	1	1	61	139.00	1	1	94
38.00	2	3	28	80.00	1	1	63	144.00	1	1	95
39.00	3	4	31	83.00	1	1	64	152.00	1	1	96
41.00	1	1	33	85.00	1	1	65	168.00	1	1	98
42.00	2	3	35	89.00	1	1	66	177.00	1	1	99
43.00	1	1	36	91.00	1	1	68	194.00	1	1	100

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:06 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 68.950 Std dev 45.227

Valid cases 80 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:07 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .39 seconds CPU time; 2.96 seconds elapsed.

```
383 0 TEMPORARY
384 0 SELECT IF      (SCIN34 EQ 17)
385 0 /*
386 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  GENERAL MEDICINE PHYSICIANS
387 0 /*
388 0 FREQUENCIES      VARIABLES=PERWEEK/
389 0                  FORMAT=CONDENSE/
390 0                  HISTOGRAM=INCREMENT (5)/
391 0                  STATISTICS=MEAN STDDEV
392 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:07 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	147	12	12	30.00	10	1	76	61.00	4	0	95
1.00	107	9	21	31.00	18	2	78	62.00	2	0	95
2.00	67	6	27	32.00	9	1	79	63.00	3	0	95
3.00	62	5	32	33.00	12	1	80	64.00	7	1	96
4.00	54	5	37	34.00	13	1	81	66.00	4	0	96
5.00	38	3	40	35.00	8	1	81	67.00	2	0	96
6.00	28	2	42	36.00	15	1	83	68.00	3	0	97
7.00	22	2	44	37.00	9	1	83	69.00	2	0	97
8.00	30	3	47	38.00	10	1	84	70.00	2	0	97
9.00	21	2	49	39.00	8	1	85	71.00	3	0	97
10.00	20	2	50	40.00	11	1	86	72.00	2	0	97
11.00	30	3	53	41.00	7	1	87	74.00	1	0	98
12.00	23	2	55	42.00	9	1	87	75.00	1	0	98
13.00	25	2	57	43.00	1	0	87	76.00	3	0	98
14.00	12	1	58	44.00	6	1	88	77.00	1	0	98
15.00	20	2	59	45.00	7	1	88	79.00	1	0	98
16.00	14	1	61	46.00	7	1	89	80.00	3	0	98
17.00	14	1	62	47.00	6	1	90	81.00	1	0	98
18.00	12	1	63	48.00	6	1	90	82.00	2	0	99
19.00	15	1	64	49.00	7	1	91	83.00	2	0	99
20.00	10	1	65	50.00	5	0	91	84.00	1	0	99
21.00	24	2	67	51.00	7	1	92	86.00	2	0	99
22.00	15	1	68	52.00	2	0	92	87.00	2	0	99
23.00	10	1	69	53.00	7	1	92	90.00	2	0	99
24.00	16	1	70	54.00	5	0	93	91.00	2	0	99
25.00	20	2	72	55.00	4	0	93	92.00	2	0	100
26.00	9	1	73	56.00	3	0	93	96.00	1	0	100
27.00	8	1	74	57.00	4	0	94	97.00	1	0	100
28.00	11	1	74	58.00	5	0	94	101.00	1	0	100
29.00	13	1	76	60.00	5	0	95	109.00	1	0	100

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:08 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 18.183 Std dev 20.646

Valid cases 1187 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:09 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .29 seconds CPU time; 2.54 seconds elapsed.

```
393 0 TEMPORARY
394 0 SELECT IF      (SCIN34 EQ 18)
395 0 /*
396 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   CARDIOLOGISTS
397 0 /*
398 0 FREQUENCIES      VARIABLES=PERWEEK/
399 0                  FORMAT=CONDENSE/
400 0                  HISTOGRAM=INCREMENT (5)/
401 0                  STATISTICS=MEAN STDDEV
402 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:12 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	16	3	3	42.00	4	1	50	85.00	5	1	88
1.00	8	1	4	43.00	10	2	52	86.00	1	0	88
2.00	10	2	6	44.00	6	1	53	87.00	2	0	88
3.00	8	1	8	45.00	6	1	54	90.00	3	1	89
4.00	2	0	8	46.00	3	1	54	92.00	4	1	90
5.00	10	2	10	47.00	5	1	55	93.00	1	0	90
6.00	6	1	11	48.00	8	1	57	94.00	2	0	90
7.00	7	1	12	49.00	3	1	57	95.00	2	0	90
8.00	5	1	13	50.00	5	1	58	97.00	6	1	92
9.00	4	1	14	51.00	5	1	59	98.00	3	1	92
10.00	10	2	15	52.00	7	1	60	99.00	3	1	93
11.00	7	1	17	53.00	3	1	61	100.00	3	1	93
12.00	5	1	18	54.00	6	1	62	101.00	1	0	93
13.00	8	1	19	55.00	11	2	64	102.00	1	0	94
14.00	7	1	20	56.00	7	1	65	104.00	3	1	94
15.00	5	1	21	57.00	6	1	66	110.00	3	1	95
16.00	6	1	22	58.00	5	1	67	111.00	1	0	95
17.00	2	0	23	59.00	6	1	68	112.00	2	0	95
18.00	7	1	24	60.00	6	1	69	114.00	1	0	95
19.00	1	0	24	61.00	3	1	70	115.00	2	0	96
20.00	10	2	26	62.00	5	1	71	116.00	1	0	96
21.00	10	2	28	63.00	7	1	72	126.00	2	0	96
22.00	6	1	29	64.00	7	1	73	127.00	1	0	96
23.00	4	1	30	65.00	5	1	74	128.00	2	0	97
24.00	7	1	31	66.00	12	2	76	129.00	1	0	97
25.00	6	1	32	67.00	2	0	77	130.00	1	0	97
26.00	4	1	33	68.00	5	1	77	131.00	1	0	97
27.00	8	1	34	69.00	4	1	78	133.00	1	0	97
28.00	6	1	35	71.00	3	1	79	136.00	2	0	98
29.00	7	1	36	72.00	5	1	80	138.00	1	0	98
30.00	7	1	38	73.00	7	1	81	140.00	1	0	98
31.00	9	2	39	74.00	5	1	82	141.00	1	0	98
32.00	9	2	41	75.00	1	0	82	148.00	1	0	99
33.00	3	1	41	76.00	2	0	82	149.00	2	0	99
34.00	5	1	42	77.00	2	0	83	150.00	1	0	99
35.00	5	1	43	78.00	4	1	83	154.00	1	0	99
36.00	6	1	44	79.00	2	0	84	157.00	1	0	99
37.00	3	1	45	80.00	5	1	85	162.00	1	0	100
38.00	9	2	46	81.00	4	1	85	182.00	1	0	100
39.00	7	1	48	82.00	1	0	86	186.00	1	0	100
40.00	3	1	48	83.00	4	1	86				
41.00	4	1	49	84.00	3	1	87				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:13 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 46.879 Std dev 34.889

Valid cases 555 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:16 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .39 seconds CPU time; 6.26 seconds elapsed.

```
403 0 TEMPORARY
404 0 SELECT IF      (SCIN34 EQ 19)
405 0 /*
406 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  RENAL MEDICINE PHYSICIANS
407 0 /*
408 0 FREQUENCIES    VARIABLES=PERWEEK/
409 0                FORMAT=CONDENSE/
410 0                HISTOGRAM=INCREMENT (5)/
411 0                STATISTICS=MEAN STDDEV
412 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:18 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED


Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	3	3	3	18.00	1	1	60	41.00	2	2	84
1.00	8	7	10	20.00	2	2	62	42.00	2	2	86
2.00	6	5	15	21.00	2	2	63	43.00	1	1	87
3.00	11	10	25	22.00	2	2	65	45.00	2	2	88
4.00	2	2	27	23.00	2	2	67	48.00	1	1	89
5.00	4	4	30	24.00	3	3	70	55.00	1	1	90
6.00	4	4	34	26.00	1	1	71	60.00	2	2	92
7.00	4	4	38	27.00	3	3	73	63.00	1	1	93
8.00	3	3	40	29.00	1	1	74	70.00	1	1	94
9.00	5	4	45	30.00	1	1	75	71.00	1	1	95
10.00	1	1	46	31.00	1	1	76	72.00	1	1	96
11.00	4	4	49	32.00	1	1	77	80.00	1	1	96
12.00	2	2	51	35.00	1	1	78	83.00	1	1	97
13.00	1	1	52	36.00	1	1	79	84.00	1	1	98
14.00	1	1	53	37.00	1	1	79	87.00	1	1	99
15.00	3	3	55	38.00	1	1	80	103.00	1	1	100
16.00	1	1	56	39.00	1	1	81				
17.00	3	3	59	40.00	1	1	82				

Count Midpoint One symbol equals approximately .60 occurrences

30	2.50	*****
20	7.50	*****
9	12.50	*****
8	17.50	*****
11	22.50	*****
5	27.50	*****
3	32.50	*****
5	37.50	*****
6	42.50	*****
3	47.50	*****
0	52.50	
1	57.50	**
3	62.50	*****
0	67.50	
3	72.50	*****
0	77.50	
3	82.50	*****
1	87.50	**
0	92.50	
0	97.50	

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:20 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 21.161 Std dev 22.824

Valid cases 112 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:20 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .31 seconds CPU time; 3.82 seconds elapsed.

```
413 0 TEMPORARY
414 0 SELECT IF      (SCIN34 EQ 20)
415 0 /*
416 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  GASTROENTEROLOGISTS
417 0 /*
418 0 FREQUENCIES    VARIABLES=PERWEEK/
419 0                FORMAT=CONDENSE/
420 0                HISTOGRAM=INCREMENT (5)/
421 0                STATISTICS=MEAN STDDEV
422 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:21 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	10	3	3	32.00	6	2	48	63.00	2	1	88
1.00	10	3	5	33.00	3	1	49	64.00	4	1	89
2.00	7	2	7	34.00	5	1	50	66.00	3	1	90
3.00	4	1	8	35.00	8	2	52	68.00	2	1	90
4.00	5	1	10	36.00	9	2	55	69.00	1	0	90
5.00	7	2	12	37.00	9	2	57	70.00	2	1	91
6.00	6	2	13	38.00	6	2	59	71.00	1	0	91
7.00	1	0	13	39.00	6	2	60	74.00	2	1	92
8.00	4	1	15	40.00	4	1	61	75.00	2	1	92
9.00	10	3	17	41.00	2	1	62	78.00	2	1	93
10.00	5	1	19	42.00	7	2	64	79.00	1	0	93
11.00	8	2	21	43.00	4	1	65	80.00	2	1	94
12.00	5	1	22	44.00	2	1	65	81.00	3	1	94
13.00	2	1	23	45.00	4	1	66	85.00	1	0	95
14.00	5	1	24	46.00	3	1	67	87.00	1	0	95
15.00	5	1	25	47.00	7	2	69	91.00	3	1	96
16.00	2	1	26	48.00	8	2	71	95.00	2	1	96
17.00	4	1	27	49.00	9	2	74	97.00	1	0	97
18.00	3	1	28	50.00	4	1	75	102.00	1	0	97
19.00	3	1	28	51.00	3	1	76	105.00	1	0	97
20.00	3	1	29	52.00	4	1	77	108.00	1	0	97
22.00	4	1	30	53.00	6	2	78	109.00	1	0	98
23.00	7	2	32	54.00	4	1	79	114.00	2	1	98
24.00	6	2	34	55.00	2	1	80	116.00	1	0	98
25.00	7	2	36	56.00	6	2	81	117.00	1	0	99
26.00	3	1	37	57.00	4	1	83	121.00	1	0	99
27.00	5	1	38	58.00	5	1	84	131.00	1	0	99
28.00	8	2	40	59.00	3	1	85	135.00	1	0	99
29.00	6	2	42	60.00	4	1	86	144.00	1	0	100
30.00	6	2	43	61.00	1	0	86	197.00	1	0	100
31.00	11	3	46	62.00	4	1	87				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:21 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 37.059 Std dev 27.800

Valid cases 372 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:22 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .31 seconds CPU time; 2.18 seconds elapsed.

```
423 0 TEMPORARY
424 0 SELECT IF      (SCIN34 EQ 21)
425 0 /*
426 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  NEUROLOGISTS
427 0 /*
428 0 FREQUENCIES      VARIABLES=PERWEEK/
429 0                  FORMAT=CONDENSE/
430 0                  HISTOGRAM=INCREMENT (5)/
431 0                  STATISTICS=MEAN STDDEV
432 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:23 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	13	5	5	24.00	7	3	58	50.00	1	0	86
1.00	4	1	6	26.00	4	1	59	51.00	5	2	88
2.00	10	4	10	27.00	4	1	61	53.00	2	1	89
3.00	3	1	11	28.00	3	1	62	54.00	3	1	90
4.00	6	2	13	29.00	3	1	63	56.00	4	1	91
5.00	6	2	15	30.00	5	2	65	57.00	2	1	92
6.00	5	2	17	31.00	1	0	65	60.00	1	0	92
7.00	13	5	22	32.00	5	2	67	61.00	1	0	93
8.00	5	2	24	33.00	5	2	69	64.00	2	1	93
9.00	4	1	25	34.00	5	2	71	65.00	3	1	94
10.00	5	2	27	35.00	4	1	72	67.00	1	0	95
11.00	9	3	31	36.00	6	2	75	68.00	2	1	96
12.00	5	2	32	38.00	3	1	76	70.00	2	1	96
13.00	4	1	34	39.00	1	0	76	71.00	1	0	97
14.00	7	3	37	40.00	1	0	76	72.00	1	0	97
15.00	4	1	38	41.00	5	2	78	74.00	1	0	97
16.00	3	1	39	42.00	3	1	79	75.00	1	0	98
17.00	2	1	40	43.00	4	1	81	80.00	1	0	98
18.00	4	1	41	44.00	2	1	82	100.00	1	0	99
19.00	5	2	43	45.00	5	2	83	109.00	1	0	99
20.00	7	3	46	46.00	2	1	84	110.00	1	0	99
21.00	12	4	50	47.00	2	1	85	113.00	1	0	100
22.00	9	3	54	48.00	1	0	85	123.00	1	0	100
23.00	5	2	55	49.00	1	0	86				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:24 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 26.410 Std dev 22.170
 Valid cases 271 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:24 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .35 seconds CPU time; 1.83 seconds elapsed.

```
433 0 TEMPORARY
434 0 SELECT IF      (SCIN34 EQ 22)
435 0 /*
436 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  PAEDIATRIC PHYSICIANS
437 0 /*
438 0 FREQUENCIES      VARIABLES=PERWEEK/
439 0                  FORMAT=CONDENSE/
440 0                  HISTOGRAM=INCREMENT (5)/
441 0                  STATISTICS=MEAN STDDEV
442 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:25 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	66	9	9	30.00	6	1	70	60.00	2	0	94
1.00	39	5	14	31.00	5	1	71	61.00	2	0	94
2.00	45	6	20	32.00	9	1	72	62.00	3	0	95
3.00	27	4	24	33.00	10	1	73	63.00	1	0	95
4.00	16	2	26	34.00	8	1	74	64.00	2	0	95
5.00	25	3	30	35.00	11	2	76	65.00	1	0	95
6.00	23	3	33	36.00	6	1	77	66.00	2	0	95
7.00	23	3	36	37.00	7	1	78	67.00	1	0	95
8.00	25	3	39	38.00	9	1	79	68.00	4	1	96
9.00	12	2	41	39.00	14	2	81	69.00	1	0	96
10.00	16	2	43	40.00	5	1	82	70.00	2	0	96
11.00	18	2	46	41.00	3	0	82	71.00	3	0	97
12.00	11	2	47	42.00	8	1	83	72.00	3	0	97
13.00	11	2	49	43.00	8	1	84	73.00	1	0	97
14.00	15	2	51	44.00	8	1	85	74.00	1	0	98
15.00	7	1	52	45.00	6	1	86	75.00	2	0	98
16.00	4	1	52	46.00	8	1	87	76.00	1	0	98
17.00	13	2	54	47.00	5	1	88	78.00	1	0	98
18.00	7	1	55	48.00	3	0	88	79.00	3	0	98
19.00	14	2	57	49.00	6	1	89	80.00	1	0	99
20.00	10	1	58	50.00	1	0	89	81.00	1	0	99
21.00	9	1	59	51.00	3	0	90	83.00	1	0	99
22.00	8	1	61	52.00	2	0	90	85.00	1	0	99
23.00	11	2	62	53.00	5	1	91	86.00	1	0	99
24.00	8	1	63	54.00	4	1	91	87.00	1	0	99
25.00	12	2	65	55.00	3	0	92	88.00	1	0	99
26.00	5	1	65	56.00	2	0	92	95.00	1	0	100
27.00	9	1	67	57.00	3	0	92	102.00	1	0	100
28.00	15	2	69	58.00	5	1	93	107.00	1	0	100
29.00	4	1	69	59.00	5	1	94	119.00	1	0	100

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:26 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 21.561 Std dev 21.394

Valid cases 733 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:26 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .36 seconds CPU time; 1.74 seconds elapsed.

```
443 0 TEMPORARY
444 0 SELECT IF      (SCIN34 EQ 23)
445 0 /*
446 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  REHABILITATION PHYSICIANS
447 0 /*
448 0 FREQUENCIES    VARIABLES=PERWEEK/
449 0                FORMAT=CONDENSE/
450 0                HISTOGRAM=INCREMENT (5)/
451 0                STATISTICS=MEAN STDDEV
452 0 /*
```

There are 1,073,640,320 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:27 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	18	15	15	12.00	6	5	79	32.00	1	1	92
1.00	22	19	34	13.00	1	1	80	34.00	1	1	93
2.00	15	13	47	14.00	1	1	81	35.00	1	1	94
3.00	2	2	48	15.00	3	3	83	36.00	1	1	95
4.00	5	4	53	16.00	2	2	85	38.00	1	1	96
5.00	3	3	55	17.00	1	1	86	40.00	1	1	97
6.00	5	4	59	19.00	2	2	87	43.00	2	2	98
7.00	4	3	63	21.00	2	2	89	45.00	1	1	99
8.00	2	2	64	22.00	1	1	90	61.00	1	1	100
9.00	1	1	65	26.00	1	1	91				
10.00	10	8	74	29.00	1	1	92				

Count Midpoint One symbol equals approximately 1.50 occurrences



Mean 8.754 Std dev 11.802

Valid cases 118 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:28 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .28 seconds CPU time; 1.28 seconds elapsed.

```
453 0 TEMPORARY
454 0 SELECT IF      (SCIN34 EQ 24)
455 0 /*
456 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  RHEUMATOLOGISTS
457 0 /*
458 0 FREQUENCIES      VARIABLES=PERWEEK/
459 0                  FORMAT=CONDENSE/
460 0                  HISTOGRAM=INCREMENT (5)/
461 0                  STATISTICS=MEAN STDDEV
462 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:28 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	6	4	4	22.00	1	1	42	48.00	1	1	80
1.00	8	5	9	23.00	3	2	44	49.00	2	1	81
2.00	1	1	10	24.00	4	3	47	50.00	1	1	82
3.00	5	3	13	25.00	2	1	48	51.00	2	1	83
4.00	3	2	15	26.00	4	3	51	52.00	1	1	84
5.00	5	3	19	27.00	3	2	53	53.00	1	1	85
6.00	2	1	20	28.00	2	1	54	54.00	1	1	85
7.00	3	2	22	30.00	3	2	56	56.00	1	1	86
8.00	2	1	23	31.00	1	1	57	57.00	4	3	89
9.00	2	1	25	33.00	3	2	59	62.00	1	1	89
10.00	3	2	27	34.00	3	2	61	64.00	2	1	91
11.00	2	1	28	35.00	2	1	62	66.00	1	1	91
12.00	1	1	29	36.00	1	1	63	67.00	1	1	92
13.00	2	1	30	37.00	1	1	63	71.00	1	1	93
14.00	4	3	33	39.00	4	3	66	73.00	1	1	93
15.00	1	1	33	40.00	4	3	69	76.00	2	1	95
16.00	1	1	34	41.00	4	3	71	78.00	1	1	95
17.00	4	3	37	43.00	2	1	73	79.00	1	1	96
18.00	1	1	37	44.00	5	3	76	82.00	1	1	97
19.00	1	1	38	45.00	1	1	77	89.00	3	2	99
20.00	1	1	39	46.00	2	1	78	90.00	1	1	99
21.00	4	3	41	47.00	2	1	79	95.00	1	1	100

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:29 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 30.173 Std dev 23.663
 Valid cases 150 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:30 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .27 seconds CPU time; 1.87 seconds elapsed.

```
463 0 TEMPORARY
464 0 SELECT IF      (SCIN34 EQ 25)
465 0 /*
466 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR THORACIC MEDICINE PHYSICIANS
467 0 /*
468 0 FREQUENCIES    VARIABLES=PERWEEK/
469 0                FORMAT=CONDENSE/
470 0                HISTOGRAM=INCREMENT (5)/
471 0                STATISTICS=MEAN STDDEV
472 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:30 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	16	6	6	27.00	2	1	62	54.00	3	1	87
1.00	4	2	8	28.00	1	0	62	55.00	6	2	89
2.00	7	3	11	29.00	2	1	63	56.00	1	0	90
3.00	11	4	15	30.00	3	1	64	57.00	1	0	90
4.00	8	3	18	31.00	1	0	65	58.00	2	1	91
5.00	8	3	21	32.00	4	2	66	62.00	4	2	93
6.00	2	1	22	33.00	2	1	67	63.00	1	0	93
7.00	9	4	26	34.00	8	3	70	64.00	1	0	93
8.00	6	2	28	35.00	2	1	71	65.00	1	0	94
9.00	7	3	31	36.00	3	1	72	66.00	1	0	94
10.00	7	3	33	37.00	3	1	73	68.00	1	0	94
11.00	8	3	37	38.00	3	1	74	69.00	1	0	95
12.00	8	3	40	39.00	1	0	75	72.00	1	0	95
13.00	4	2	41	40.00	5	2	77	74.00	2	1	96
14.00	8	3	44	41.00	2	1	78	76.00	1	0	96
15.00	5	2	46	43.00	2	1	78	78.00	1	0	97
16.00	3	1	48	44.00	1	0	79	85.00	1	0	97
17.00	6	2	50	45.00	3	1	80	93.00	1	0	98
18.00	5	2	52	46.00	5	2	82	97.00	1	0	98
19.00	3	1	53	47.00	1	0	82	111.00	1	0	98
20.00	3	1	54	48.00	2	1	83	114.00	1	0	99
21.00	5	2	56	49.00	3	1	84	120.00	1	0	99
22.00	5	2	58	50.00	1	0	85	135.00	1	0	100
23.00	3	1	59	51.00	1	0	85	184.00	1	0	100
25.00	1	0	60	52.00	1	0	85				
26.00	3	1	61	53.00	1	0	86				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:31 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 26.240 Std dev 26.125

Valid cases 254 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:32 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .35 seconds CPU time; 2.02 seconds elapsed.

```
473 0 TEMPORARY
474 0 SELECT IF      (SCIN34 EQ 26)
475 0 /*
476 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    PSYCHIATRISTS
477 0 /*
478 0 FREQUENCIES      VARIABLES=PERWEEK/
479 0                  FORMAT=CONDENSE/
480 0                  HISTOGRAM=INCREMENT (5)/
481 0                  STATISTICS=MEAN STDDEV
482 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:33 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1


PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	89	5	5	35.00	31	2	67	70.00	3	0	96
1.00	64	4	9	36.00	35	2	69	71.00	4	0	96
2.00	40	2	11	37.00	29	2	70	72.00	4	0	97
3.00	38	2	14	38.00	21	1	72	73.00	4	0	97
4.00	33	2	15	39.00	17	1	73	74.00	4	0	97
5.00	37	2	18	40.00	25	1	74	75.00	3	0	97
6.00	40	2	20	41.00	30	2	76	76.00	3	0	97
7.00	31	2	22	42.00	20	1	77	78.00	5	0	98
8.00	35	2	24	43.00	20	1	78	79.00	1	0	98
9.00	21	1	25	44.00	16	1	79	80.00	2	0	98
10.00	37	2	27	45.00	28	2	81	82.00	1	0	98
11.00	21	1	28	46.00	23	1	82	83.00	2	0	98
12.00	28	2	30	47.00	27	2	84	84.00	1	0	98
13.00	28	2	32	48.00	17	1	85	85.00	4	0	98
14.00	23	1	33	49.00	25	1	86	87.00	1	0	98
15.00	30	2	35	50.00	26	2	88	88.00	2	0	99
16.00	30	2	37	51.00	13	1	88	91.00	1	0	99
17.00	28	2	38	52.00	8	0	89	92.00	3	0	99
18.00	24	1	40	53.00	11	1	90	94.00	1	0	99
19.00	29	2	41	54.00	12	1	90	95.00	2	0	99
20.00	24	1	43	55.00	10	1	91	96.00	3	0	99
21.00	20	1	44	56.00	6	0	91	98.00	1	0	99
22.00	15	1	45	57.00	11	1	92	99.00	1	0	99
23.00	26	2	46	58.00	10	1	92	101.00	1	0	99
24.00	31	2	48	59.00	10	1	93	105.00	1	0	99
25.00	18	1	49	60.00	9	1	93	106.00	1	0	99
26.00	28	2	51	61.00	5	0	94	107.00	2	0	100
27.00	36	2	53	62.00	4	0	94	109.00	1	0	100
28.00	25	1	54	63.00	9	1	95	111.00	1	0	100
29.00	38	2	57	64.00	8	0	95	114.00	1	0	100
30.00	35	2	59	65.00	5	0	95	118.00	1	0	100
31.00	23	1	60	66.00	2	0	95	122.00	1	0	100
32.00	26	2	62	67.00	2	0	96	126.00	1	0	100
33.00	31	2	63	68.00	5	0	96	153.00	1	0	100
34.00	24	1	65	69.00	3	0	96				

PERWEEK HOURS PER WEEK - UNFILTERED

Count Midpoint One symbol equals approximately 8.00 occurrences

264	2.50	*****
164	7.50	*****
137	12.50	*****
141	17.50	*****
116	22.50	*****
145	27.50	*****
139	32.50	*****
133	37.50	*****
111	42.50	*****
120	47.50	*****
70	52.50	*****
47	57.50	*****
35	62.50	****
17	67.50	**
19	72.50	**
12	77.50	**
6	82.50	*
7	87.50	*
5	92.50	*
7	97.50	*
1	102.50	
5	107.50	*
2	112.50	
1	117.50	
1	122.50	
1	127.50	
0	132.50	
0	137.50	
0	142.50	
0	147.50	
1	152.50	



Mean 27.602 Std dev 21.569
 Valid cases 1707 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:34 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .35 seconds CPU time; 2.04 seconds elapsed.

```
483 0 TEMPORARY
484 0 SELECT IF      (SCIN34 EQ 27)
485 0 /*
486 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  RADIATION ONCOLOGISTS
487 0 /*
488 0 FREQUENCIES      VARIABLES=PERWEEK/
489 0                  FORMAT=CONDENSE/
490 0                  HISTOGRAM=INCREMENT (5)/
491 0                  STATISTICS=MEAN STDDEV
492 0 /*
```

There are 1,073,640,320 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:35 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	10	7	7	17.00	6	4	57	35.00	4	3	85
1.00	7	5	12	18.00	3	2	59	36.00	4	3	88
2.00	4	3	15	19.00	3	2	61	38.00	2	1	90
3.00	2	1	16	20.00	4	3	64	39.00	1	1	90
4.00	4	3	19	21.00	2	1	65	40.00	1	1	91
5.00	6	4	23	22.00	1	1	66	42.00	2	1	92
6.00	4	3	26	23.00	2	1	67	45.00	1	1	93
7.00	3	2	28	24.00	3	2	69	46.00	3	2	95
8.00	2	1	29	25.00	3	2	71	49.00	1	1	96
9.00	7	5	34	26.00	3	2	73	50.00	1	1	97
10.00	3	2	36	27.00	2	1	75	51.00	1	1	97
11.00	4	3	39	28.00	3	2	77	53.00	1	1	98
12.00	4	3	42	29.00	3	2	79	57.00	1	1	99
13.00	3	2	44	31.00	2	1	80	86.00	1	1	99
14.00	2	1	45	32.00	1	1	81	87.00	1	1	100
15.00	5	3	49	33.00	1	1	82				
16.00	5	3	52	34.00	1	1	83				

Count Midpoint One symbol equals approximately .60 occurrences



Mean 18.797 Std dev 16.113

Valid cases 143 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:36 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .31 seconds CPU time; 1.65 seconds elapsed.

```
493 0 TEMPORARY
494 0 SELECT IF      (SCIN34 EQ 28)
495 0 /*
496 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  HAEMATOLOGISTS
497 0 /*
498 0 FREQUENCIES      VARIABLES=PERWEEK/
499 0                  FORMAT=CONDENSE/
500 0                  HISTOGRAM=INCREMENT (5)/
501 0                  STATISTICS=MEAN STDDEV
502 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:37 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED


Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	11	8	8	17.00	6	4	60	40.00	1	1	88
1.00	7	5	13	18.00	1	1	61	45.00	1	1	89
2.00	8	6	19	19.00	5	4	65	46.00	1	1	90
3.00	2	1	21	20.00	3	2	67	48.00	2	1	91
4.00	4	3	24	21.00	5	4	71	50.00	1	1	92
5.00	5	4	28	22.00	4	3	74	51.00	1	1	93
6.00	7	5	33	23.00	2	1	75	55.00	2	1	94
7.00	5	4	37	24.00	1	1	76	64.00	1	1	95
8.00	4	3	40	25.00	4	3	79	71.00	1	1	96
9.00	4	3	43	26.00	2	1	81	72.00	1	1	96
10.00	2	1	44	27.00	1	1	81	73.00	1	1	97
11.00	2	1	46	30.00	3	2	84	95.00	1	1	98
13.00	2	1	47	32.00	1	1	84	109.00	1	1	99
14.00	3	2	49	35.00	1	1	85	138.00	1	1	99
15.00	3	2	51	37.00	1	1	86	148.00	1	1	100
16.00	6	4	56	38.00	2	1	87				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:37 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Count Midpoint One symbol equals approximately .80 occurrences

32	2.50	*****
25	7.50	*****
9	12.50	*****
21	17.50	*****
15	22.50	*****
7	27.50	*****
4	32.50	****
4	37.50	****
1	42.50	*
4	47.50	****
2	52.50	***
2	57.50	***
1	62.50	*
0	67.50	
3	72.50	****
0	77.50	
0	82.50	
0	87.50	
0	92.50	
1	97.50	*
0	102.50	
1	107.50	*
0	112.50	
0	117.50	
0	122.50	
0	127.50	
0	132.50	
1	137.50	*
0	142.50	
1	147.50	*



Mean 19.858 Std dev 24.478

Valid cases 134 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:38 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .31 seconds CPU time; 2.30 seconds elapsed.

```
503 0 TEMPORARY
504 0 SELECT IF      (SCIN34 EQ 29)
505 0 /*
506 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    MEDICAL ONCOLOGISTS
507 0 /*
508 0 FREQUENCIES      VARIABLES=PERWEEK/
509 0                  FORMAT=CONDENSE/
510 0                  HISTOGRAM=INCREMENT (5)/
511 0                  STATISTICS=MEAN STDDEV
512 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:39 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1


PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	4	4	4	18.00	1	1	54	42.00	1	1	81
1.00	7	7	11	19.00	1	1	55	46.00	1	1	82
2.00	1	1	12	21.00	1	1	56	47.00	1	1	83
3.00	1	1	13	22.00	4	4	60	50.00	1	1	83
4.00	1	1	14	23.00	1	1	61	52.00	2	2	85
5.00	3	3	17	24.00	2	2	63	56.00	2	2	87
6.00	3	3	19	25.00	1	1	64	57.00	1	1	88
7.00	4	4	23	26.00	2	2	66	58.00	1	1	89
8.00	3	3	26	27.00	2	2	68	62.00	2	2	91
9.00	2	2	28	28.00	2	2	70	64.00	1	1	92
10.00	1	1	29	29.00	1	1	71	69.00	2	2	94
11.00	3	3	32	31.00	1	1	72	71.00	1	1	95
12.00	3	3	35	33.00	1	1	73	76.00	1	1	96
13.00	5	5	40	34.00	1	1	74	92.00	1	1	97
14.00	1	1	41	35.00	1	1	75	94.00	1	1	98
15.00	4	4	45	36.00	2	2	77	119.00	1	1	99
16.00	6	6	50	37.00	2	2	79	132.00	1	1	100
17.00	3	3	53	40.00	1	1	80				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:39 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Count Midpoint One symbol equals approximately .40 occurrences



Mean 25.845 Std dev 25.638

Valid cases 103 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:40 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .28 seconds CPU time; 1.92 seconds elapsed.

```
513 0 TEMPORARY
514 0 SELECT IF          (SCIN34 EQ 30)
515 0 /*
516 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    INTENSIVE CARE PHYSICIANS
517 0 /*
518 0 FREQUENCIES          VARIABLES=PERWEEK/
519 0                      FORMAT=CONDENSE/
520 0                      HISTOGRAM=INCREMENT (5)/
521 0                      STATISTICS=MEAN STDDEV
522 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:41 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	4	4	4	18.00	4	4	60	40.00	1	1	84
1.00	8	7	11	19.00	3	3	62	41.00	1	1	85
2.00	4	4	14	20.00	3	3	65	42.00	1	1	86
3.00	9	8	22	22.00	2	2	67	43.00	1	1	87
4.00	3	3	25	23.00	2	2	68	45.00	1	1	88
5.00	5	4	29	24.00	1	1	69	46.00	2	2	89
6.00	4	4	32	25.00	3	3	72	47.00	3	3	92
7.00	5	4	37	26.00	3	3	75	50.00	1	1	93
8.00	4	4	40	27.00	1	1	75	51.00	2	2	95
9.00	4	4	44	28.00	1	1	76	60.00	1	1	96
10.00	5	4	48	29.00	2	2	78	61.00	1	1	96
13.00	1	1	49	30.00	1	1	79	64.00	1	1	97
14.00	4	4	53	31.00	2	2	81	73.00	1	1	98
15.00	3	3	55	34.00	2	2	82	92.00	1	1	99
16.00	1	1	56	38.00	1	1	83	190.00	1	1	100

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:42 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 20.088 Std dev 24.218

Valid cases 114 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:43 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .34 seconds CPU time; 2.14 seconds elapsed.

```
523 0 TEMPORARY
524 0 SELECT IF      (SCIN34 EQ 31)
525 0 /*
526 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR   NUCLEAR MEDICINE PHYSICIANS
527 0 /*
528 0 FREQUENCIES    VARIABLES=PERWEEK/
529 0                FORMAT=CONDENSE/
530 0                HISTOGRAM=INCREMENT (5)/
531 0                STATISTICS=MEAN STDDEV
532 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:43 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED


Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	5	4	4	20.00	6	5	46	41.00	3	2	81
1.00	2	2	6	21.00	2	2	47	42.00	1	1	82
2.00	1	1	6	22.00	1	1	48	43.00	2	2	83
3.00	1	1	7	23.00	5	4	52	44.00	5	4	87
4.00	5	4	11	24.00	1	1	53	45.00	2	2	89
5.00	3	2	13	25.00	4	3	56	47.00	3	2	91
6.00	2	2	15	26.00	3	2	58	48.00	1	1	92
7.00	2	2	17	27.00	4	3	61	53.00	1	1	93
8.00	1	1	17	28.00	1	1	62	61.00	1	1	94
9.00	3	2	20	29.00	1	1	63	65.00	1	1	94
10.00	2	2	21	30.00	2	2	65	66.00	1	1	95
11.00	3	2	24	31.00	3	2	67	68.00	1	1	96
12.00	3	2	26	32.00	1	1	68	69.00	1	1	97
13.00	4	3	29	33.00	5	4	72	71.00	1	1	98
14.00	4	3	32	34.00	1	1	72	72.00	1	1	98
16.00	2	2	34	35.00	1	1	73	82.00	1	1	99
17.00	4	3	37	37.00	2	2	75	102.00	1	1	100
18.00	2	2	39	38.00	4	3	78				
19.00	3	2	41	39.00	1	1	79				

Count Midpoint One symbol equals approximately .40 occurrences

14	2.50	*****
11	7.50	*****
16	12.50	*****
11	17.50	*****
15	22.50	*****
13	27.50	*****
12	32.50	*****
8	37.50	*****
11	42.50	*****
6	47.50	*****
1	52.50	***
0	57.50	
1	62.50	***
4	67.50	*****
2	72.50	*****
0	77.50	
1	82.50	***
0	87.50	
0	92.50	
0	97.50	

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:45 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 26.000 Std dev 18.959

Valid cases 127 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:45 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .30 seconds CPU time; 1.93 seconds elapsed.

```
533 0 TEMPORARY
534 0 SELECT IF          (SCIN34 EQ 32)
535 0 /*
536 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR IMMUNOLOGISTS
537 0 /*
538 0 FREQUENCIES        VARIABLES=PERWEEK/
539 0                    FORMAT=CONDENSE/
540 0                    HISTOGRAM=INCREMENT (5)/
541 0                    STATISTICS=MEAN STDDEV
542 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:46 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED


Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	3	4	4	19.00	1	1	58	51.00	1	1	83
1.00	2	3	6	23.00	2	3	60	59.00	1	1	85
2.00	2	3	9	25.00	1	1	62	64.00	1	1	86
3.00	2	3	12	26.00	1	1	63	67.00	1	1	87
4.00	6	8	19	28.00	1	1	64	71.00	1	1	88
5.00	6	8	27	29.00	2	3	67	80.00	1	1	90
6.00	4	5	32	30.00	1	1	68	81.00	1	1	91
7.00	4	5	37	31.00	2	3	71	83.00	1	1	92
8.00	3	4	41	32.00	1	1	72	88.00	1	1	94
9.00	1	1	42	33.00	2	3	74	89.00	1	1	95
12.00	2	3	45	39.00	1	1	76	96.00	1	1	96
13.00	2	3	47	44.00	1	1	77	104.00	1	1	97
14.00	1	1	49	46.00	1	1	78	126.00	1	1	99
15.00	4	5	54	47.00	1	1	79	134.00	1	1	100
17.00	1	1	55	49.00	1	1	81				
18.00	1	1	56	50.00	1	1	82				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:46 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Count Midpoint One symbol equals approximately .40 occurrences

15	2.50	*****
18	7.50	*****
5	12.50	*****
7	17.50	*****
2	22.50	*****
5	27.50	*****
6	32.50	*****
1	37.50	***
1	42.50	***
3	47.50	*****
2	52.50	*****
1	57.50	***
1	62.50	***
1	67.50	***
1	72.50	***
0	77.50	
3	82.50	*****
2	87.50	*****
0	92.50	
1	97.50	***
1	102.50	***
0	107.50	
0	112.50	
0	117.50	
0	122.50	
1	127.50	***
1	132.50	***



Mean 27.821 Std dev 31.382

Valid cases 78 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:48 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .46 seconds CPU time; 2.30 seconds elapsed.

```
543 0 TEMPORARY
544 0 SELECT IF          (SCIN34 EQ 33)
545 0 /*
546 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    EMERGENCY MEDICINE PHYSICIANS
547 0 /*
548 0 FREQUENCIES          VARIABLES=PERWEEK/
549 0                      FORMAT=CONDENSE/
550 0                      HISTOGRAM=INCREMENT (5)/
551 0                      STATISTICS=MEAN STDDEV
552 0 /*
```

There are 1,073,640,320 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:48 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	49	40	40	9.00	2	2	84	23.00	1	1	94
1.00	16	13	54	12.00	3	2	87	30.00	1	1	95
2.00	9	7	61	13.00	2	2	88	31.00	1	1	96
3.00	11	9	70	14.00	1	1	89	33.00	2	2	98
4.00	3	2	73	15.00	1	1	90	35.00	1	1	98
5.00	3	2	75	16.00	1	1	91	41.00	1	1	99
6.00	3	2	78	17.00	1	1	92	75.00	1	1	100
7.00	4	3	81	18.00	1	1	93				
8.00	2	2	83	22.00	1	1	93				

Count Midpoint One symbol equals approximately 2.00 occurrences



Mean 5.281 Std dev 10.463

Valid cases 121 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:49 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .30 seconds CPU time; 1.27 seconds elapsed.

```
553 0 TEMPORARY
554 0 SELECT IF      (SCIN34 EQ 34)
555 0 /*
556 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR ASSISTANTS
557 0 /*
558 0 FREQUENCIES    VARIABLES=PERWEEK/
559 0                FORMAT=CONDENSE/
560 0                HISTOGRAM=INCREMENT (5)/
561 0                STATISTICS=MEAN STDDEV
562 0 /*
```

There are 1,073,640,320 bytes of memory available.


Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:50 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	122	80	80	7.00	3	2	93	27.00	1	1	97
1.00	10	7	86	8.00	1	1	93	31.00	1	1	97
2.00	3	2	88	14.00	1	1	94	32.00	1	1	98
3.00	2	1	90	16.00	1	1	95	47.00	1	1	99
5.00	1	1	90	23.00	1	1	95	54.00	1	1	99
6.00	1	1	91	25.00	1	1	96	103.00	1	1	100

Count Midpoint One symbol equals approximately 4.00 occurrences



Mean 2.837 Std dev 11.220

Valid cases 153 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:51 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .30 seconds CPU time; 1.34 seconds elapsed.

```
563 0 TEMPORARY
564 0 SELECT IF      (SCIN34 EQ 35)
565 0 /*
566 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR    NON-SPEC SURGEONS
567 0 /*
568 0 FREQUENCIES      VARIABLES=PERWEEK/
569 0                  FORMAT=CONDENSE/
570 0                  HISTOGRAM=INCREMENT (5)/
571 0                  STATISTICS=MEAN STDDEV
572 0 /*
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.


8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:52 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	460	37	37	22.00	8	1	95	51.00	1	0	98
1.00	282	23	60	23.00	1	0	95	52.00	1	0	98
2.00	100	8	68	24.00	5	0	95	53.00	1	0	98
3.00	66	5	74	25.00	4	0	96	56.00	1	0	98
4.00	41	3	77	26.00	2	0	96	57.00	1	0	99
5.00	24	2	79	27.00	4	0	96	58.00	2	0	99
6.00	22	2	81	28.00	2	0	96	59.00	1	0	99
7.00	18	1	82	29.00	2	0	96	60.00	1	0	99
8.00	17	1	84	30.00	3	0	97	63.00	1	0	99
9.00	19	2	85	31.00	2	0	97	68.00	1	0	99
10.00	20	2	87	32.00	2	0	97	72.00	1	0	99
11.00	17	1	88	33.00	2	0	97	81.00	2	0	99
12.00	14	1	89	35.00	1	0	97	82.00	1	0	99
13.00	8	1	90	36.00	1	0	97	84.00	2	0	100
14.00	6	0	90	37.00	1	0	97	86.00	1	0	100
15.00	12	1	91	38.00	1	0	97	88.00	1	0	100
16.00	4	0	92	39.00	2	0	98	90.00	1	0	100
17.00	7	1	92	40.00	1	0	98	94.00	1	0	100
18.00	6	0	93	43.00	2	0	98	95.00	1	0	100
19.00	7	1	93	48.00	1	0	98	114.00	1	0	100
20.00	3	0	94	49.00	1	0	98				
21.00	5	0	94	50.00	2	0	98				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:52 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED



Mean 5.076 Std dev 11.996
 Valid cases 1231 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:53 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .30 seconds CPU time; 2.39 seconds elapsed.

```
573 0 TEMPORARY
574 0 SELECT IF      (SCIN34 EQ 36)
575 0 /*
576 0 /* TOTAL TIMES FREQUENCY DISTRIBUTION FOR  NON-SPEC ANAESTHESIOLOGISTS
577 0 /*
578 0 FREQUENCIES      VARIABLES=PERWEEK/
579 0                  FORMAT=CONDENSE/
580 0                  HISTOGRAM=INCREMENT (5)/
581 0                  STATISTICS=MEAN STDDEV
582 0
```

There are 1,073,640,320 bytes of memory available.

Memory allows a total of 23,853 values accumulated across all variables.
There may be up to 5,964 value labels for each variable.

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:54 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1


PERWEEK HOURS PER WEEK - UNFILTERED

Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct	Value	Freq	Pct	Cum Pct
.00	19	10	10	22.00	2	1	63	51.00	3	2	88
1.00	18	9	19	23.00	5	3	66	52.00	1	1	88
2.00	16	8	27	24.00	1	1	66	55.00	1	1	89
3.00	9	5	32	25.00	2	1	68	56.00	2	1	90
4.00	5	3	35	26.00	3	2	69	59.00	2	1	91
5.00	6	3	38	27.00	3	2	71	61.00	3	2	92
6.00	3	2	39	29.00	1	1	71	63.00	1	1	93
7.00	3	2	41	31.00	2	1	72	64.00	1	1	93
9.00	6	3	44	34.00	2	1	73	68.00	1	1	94
10.00	2	1	45	35.00	3	2	75	70.00	1	1	94
11.00	4	2	47	36.00	2	1	76	71.00	1	1	95
12.00	4	2	49	38.00	3	2	77	73.00	2	1	96
13.00	3	2	51	39.00	4	2	79	74.00	1	1	96
14.00	5	3	53	40.00	3	2	81	77.00	1	1	97
15.00	4	2	55	41.00	1	1	81	84.00	1	1	97
16.00	5	3	58	42.00	2	1	82	101.00	1	1	98
17.00	1	1	58	43.00	1	1	83	103.00	1	1	98
18.00	2	1	59	44.00	2	1	84	122.00	1	1	99
19.00	2	1	60	45.00	1	1	85	123.00	1	1	99
20.00	1	1	61	48.00	2	1	86	135.00	1	1	100
21.00	3	2	62	49.00	1	1	86				

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
 10:19:55 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

PERWEEK HOURS PER WEEK - UNFILTERED

Count Midpoint One symbol equals approximately 1.50 occurrences



Mean 22.129 Std dev 25.888

Valid cases 194 Missing cases 0

8-Aug-00 TT09UFI (TOTALS-NINE UN-FILTERED) 8AUG2000/ALFA
10:19:57 SPSS Open VMS Development SYS on RUBENS:: VMS V7.1

Preceding task required .33 seconds CPU time; 4.08 seconds elapsed.

583 0

582 command lines read.
0 errors detected.
0 warnings issued.
16 seconds CPU time.
149 seconds elapsed time.
End of job.